

Recombinant Human FASLG Protein, His-tagged

Cat. No. FASLG-244H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant human FASLG protein with His tag was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	281
Description	This gene is a member of the tumor necrosis factor superfamily. The primary function of the encoded transmembrane protein is the induction of apoptosis triggered by binding to FAS. The FAS/FASLG signaling pathway is essential for immune system regulation, including activation-induced cell death (AICD) of T cells and cytotoxic T lymphocyte induced cell death. It has also been implicated in the progression of several cancers. Defects in this gene may be related to some cases of systemic lupus erythematosus (SLE). Alternatively spliced transcript variants have been described.
Form	Lyophilized
Molecular Mass	17.7 kDa
AA Sequence	<p> MQQPFNYYPQIYWVDSSASSPWAPPGTVLPCPTSVPRRPGQRPPPPPPPPPLP PPPPPPLPPLPLPPLKRGNHSTGLCLLMFFMVLVALVGLGLGMFQLFHLQKELA ELRESTSQMHTASSLEKQIGHPSPPPEKKELRKVAHLTGKSNSRSMPLEWEDTYGI VLLSGVKYKKGGLVINETGLYFVYSKVYFRGQSCNNLPLSHKVYMRNSKYPQDLVM MEGKMMSYCTTGQMWARSSYLGAVFNLTADHLYVNVSELSLVNFEEESQTFGLY </p>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	KL
Purity	> 98%
Applications	WB; ELISA; FACS; FC
Stability	This bioreagent is stable at 4 centigrade (short-term) and -70 centigrade(long-term). After reconstitution, sample may be stored at 4 centigrade for 2-7 days and below -18 centigrade for future use.
Storage	At -20 centigrade.
Concentration	1 mg/mL
Storage Buffer	PBS (pH 7.4-7.5). Sterile-filtered colorless solution.
Reconstitution	Reconstitute in sterile distilled H2O to no less than 100 µg/mL; dilute reconstituted stock further in other aqueous solutions if needed. Please review COA for lot-specific instructions. Final measurements should be determined by the end-user for optimal performance.
GENE INFORMATION	
Gene Name	FASLG Fas ligand (TNF superfamily, member 6) [Homo sapiens (human)]
Official Symbol	FASLG
Synonyms	FASLG; Fas ligand (TNF superfamily, member 6); APT1LG1, TNFSF6, tumor necrosis factor (ligand) superfamily, member 6; tumor necrosis factor ligand superfamily member 6; CD178; FasL; APTL; CD95 ligand; fas antigen ligand; apoptosis antigen ligand; apoptosis (APO-1) antigen ligand 1; tumor necrosis factor

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



(ligand) superfamily, member 6; FASL; CD95L; CD95-L; TNFSF6; APT1LG1;

Gene ID [356](#)

mRNA Refseq [NM_000639](#)

Protein Refseq [NP_000630](#)

MIM [134638](#)

UniProt ID [P48023](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA