

Recombinant Rat Fc ϵ 2 protein, Fc-tagged, APC labeled

Cat. No. FCER2-343RA Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Rat Fc ϵ 2 protein, Fc-tagged was Conjugated with NH ₂ -Reactive APC(Allophycocyanin).
Species	Rat
Source	HEK293
Description	NH ₂ -Reactive Allophycocyanin is used for antibody conjugation for immunostaining and cellular proteins for tracing. NH ₂ -Reactive Allophycocyanin has succinimidyl ester groups, and can easily make a covalent bond with amino groups of protein without any activation process.
Form	Liquid in sterile PBS buffer pH 7.4 (may contains tiny amount of reaction buffer and Allophycocyanin).
Endotoxin	<1EU/ug by LAL method.
Stability	Sample is stable for at least 12 months when stored at -20 to -80°C from date of manufacture. For longer storage, add equal volume of glycerol to the sample solution and store at -20 to -80°C.
Storage	Store under sterile conditions at -20 to -80°C immediately after receipt. It is recommended that the protein be aliquoted for optimal storage. Avoid freeze-thaw cycles.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Related Product FCER2-343R

Conjugation APC

GENE INFORMATION

Official Symbol FCER2

Synonyms FCER2; Fc fragment of IgE, low affinity II, receptor for (CD23); Fc receptor, IgE, low affinity II, alpha polypeptide; Fc α RII; Fc α muR; Fc receptor alpha multiple ligand receptor; CD23; Fc ϵ 2a; MGC93219;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA