

Active Recombinant Human FCGR2A protein, His-Avi-tagged, Biotinylated

Cat. No. FCGR2A-383H Lot. No. (See product label)

SPECIFICATION

Product Overview	Biotinylated Recombinant Human FCGR2A protein(Ala 36 - Ile 218), fused with His and Avi tag, was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	Ala36-Ile218
Form	Lyophilized from 0.22 µm filtered solution in PBS, pH7.4 with trehalose as protectant.
Bio-activity	Biotinylated Human CD32a (R167), His,Avitag captured on Biotin CAP-Series S Sensor Chip can bind Rituximab with an affinity constant of 2.53 µM as determined in a SPR assay (Biacore 8K).Biotinylated Human CD32a (R167), His,Avitag immobilized on SA Chip can bind Rituximab with an affinity constant of 0.802 µM as determined in a SPR assay (Biacore T200).
Molecular Mass	This protein carries a polyhistidine tag at the C-terminus, followed by an Avi tag (Avitag™)The protein has a calculated MW of 23.9 kDa. The protein migrates as 30-34 kDa under reducing (R) condition (SDS-PAGE) due to glycosylation.
Endotoxin	Less than 1.0 EU per µg by the LAL method.
Purity	>95% as determined by SDS-PAGE. >90% as determined by SEC-MALS.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage For long term, the product should be stored at lyophilized state at -20°C or lower. Please protect from light and avoid repeated freeze-thaw cycles. This product is stable after at: -20°C to -70°C for 12 months in lyophilized state; -70°C for 3 months under sterile conditions after reconstitution.

Reconstitution It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.

Conjugation Biotin

GENE INFORMATION

Gene Name FCGR2A Fc fragment of IgG, low affinity IIa, receptor (CD32) [Homo sapiens]

Official Symbol FCGR2A

Synonyms FCGR2A; Fc fragment of IgG, low affinity IIa, receptor (CD32); Fc fragment of IgG, low affinity IIa, receptor for (CD32) , FCG2, FCGR2, FCGR2A1; low affinity immunoglobulin gamma Fc region receptor II-a; CD32; CD32A; CDw32; IGFR2; Immunoglobulin G Fc receptor II; fcRII-a; fc-gamma-RIIa; fc-gamma RII-a; igG Fc receptor II-a; FCG2; FcGR; FCGR2; FCGR2A1; MGC23887; MGC30032;

Gene ID 2212

mRNA Refseq NM_001136219

Protein Refseq NP_001129691

MIM 146790

UniProt ID P12318

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA