

## Recombinant Human FCGR3B Protein, His-tagged

Cat. No. FCGR3B-226H Lot. No. (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant Human FCGR3B(21-200aa) fused with His tag at C-terminal was expressed in Insect cells.
<b>Species</b>	Human
<b>Source</b>	Insect Cells
<b>ProteinLength</b>	21-200aa
<b>Description</b>	FCGR3B, also known as low affinity immunoglobulin gamma Fc region receptor III-B isoform 2, is a member of Ig super family. It encodes a glycosylphosphatidylinositol (GPI)-anchored protein that is expressed constitutively by neutrophils and after gamma-interferon stimulation by eosinophils. This protein binds to complex or aggregated IgG and monomeric IgG. Unlike III-A, it cannot mediate antibody-dependent cytotoxicity and phagocytosis. It can be a trap of immune complexes in peripheral blood circulation that does not activate neutrophils.
<b>Form</b>	Liquid. In Phosphate Buffered Saline (pH 7.4) containing 10% glycerol.
<b>Molecular Mass</b>	21.4kDa (188aa) 28-40kDa (SDS-PAGE under reducing conditions)
<b>AA Sequence</b>	EDLPKAVVFL EPQWYSVLEK DSVTLKCQGA YSPEDNSTQW FHNENLISSQ ASSYFIDAAT VNDSGEYRCQ TNLSTLSDPV QLEVHIGWLL LQAPRWVFKE EDPIHLRCHS WKNTALHKVT YLQNGKDRKY FHHNSDFHIP KATLKDSGSY FCRGLVGSKN VSSETVNITI TQGLAVSTIS

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	VEHHHHHH
<b>Purity</b>	> 90% by SDS - PAGE
<b>Applications</b>	SDS-PAGE
<b>Storage</b>	Can be stored at +4 centigrade short term (1-2 weeks). For long term storage, aliquot and store at -20 centigrade or -70 centigrade. Avoid repeated freezing and thawing cycles.
<b>Concentration</b>	0.25 mg/ml (determined by Absorbance at 280nm)
<b>GENE INFORMATION</b>	
<b>Gene Name</b>	FCGR3B Fc fragment of IgG, low affinity IIIb, receptor (CD16b) [ Homo sapiens ]
<b>Official Symbol</b>	FCGR3B
<b>Synonyms</b>	FCGR3B; Fc fragment of IgG, low affinity IIIb, receptor (CD16b); Fc fragment of IgG, low affinity IIIb, receptor for (CD16) , FCG3, FCGR3; low affinity immunoglobulin gamma Fc region receptor III-B; CD16; CD16b; fc-gamma RIII; fc-gamma RIIIb; fc-gamma RIII-beta; igG Fc receptor III-1; Fc-gamma receptor IIIb (CD 16); Fc fragment of IgG, low affinity IIIb, receptor for (CD16); FCG3; FCGR3; FCR-10; FCRIII; FCRIIIb;
<b>Gene ID</b>	2215
<b>mRNA Refseq</b>	NM_000570
<b>Protein Refseq</b>	NP_000561
<b>MIM</b>	610665


 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID

O75015



15% SDS-PAGE (3ug)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA