

# Active Recombinant Human FGF10 Protein (187 aa), N-His-tagged

**Cat. No.** FGF10-422F    **Lot. No.** (See product label)

## SPECIFICATION

**Product Overview**      Recombinant human Fibroblast Growth Factor-10 (rhFGF-10) with N-terminal His-tag produced in E. coli is a single non-glycosylated polypeptide chain containing 187 amino acids. A fully biologically active molecule, rhFGF-10 has a molecular mass of 21.4 kDa analyzed by reducing SDS-PAGE and is obtained by proprietary chromatographic techniques.

**Species**      Human

**Source**      E.coli

**ProteinLength**      187


**Description**      Fibroblast Growth Factor-10 (FGF-10) is a mitogen mainly produced by mesenchymal stem cells in lung. FGF-10 belongs to the heparin binding FGF family, and is also known as Keratinocyte Growth Factor-2 (KGF-2). It shares the homolog and receptor FGFR2-IIIb with KGF. However, unlike KGF which induces the proliferation and differentiation of various epithelial cells, FGF-10 is an essential factor for the budding and branching morphogenesis during the multi-organ development via the instructive mesenchymal-epithelial interactions. FGF-10 is crucial for lung and limb development, and is regulated by Shh during early development.

**Form**      Sterile Filtered White lyophilized (freeze-dried) powder.

**Bio-activity**      ED50 < 20 ng/mL, measured by a cell proliferation assay using 4MBr-5 cells,

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

corresponding to a specific activity of  $> 5.0 \times 10^4$  units/mg.

<b>Molecular Mass</b>	21.4 kDa, observed by reducing SDS-PAGE.
<b>AA Sequence</b>	MNHKVHHHHHHMDDDDKMLGQDMVSPEATNSSSSSFSSPSSAGRHVRSYNHLQG DVRWRKLFSTKYFLKIEKNGKVSGTKKENCYPYSILEITSVEIGVVAVKAINSNYYLAM NKKGKLYGSKEFNNDCKLKERIEENGYNTYASFNWQHNGRQMYVALNGKGPARR GQKTRRKNTSAHFLPMVVHS
<b>Endotoxin</b>	< 0.2 EU/μg, determined by LAL method.
<b>Purity</b>	> 95% by SDS-PAGE analysis.
<b>Storage</b>	Lyophilized recombinant human Fibroblast Growth Factor-10 (rhFGF-10) remains stable up to 6 months at -80 centigrade from date of receipt. Upon reconstitution, rhFGF-10 should be stable up to 2 weeks at 4 centigrade or up to 3 months at -20 centigrade.
<b>Storage Buffer</b>	Lyophilized after extensive dialysis against PBS.
<b>Reconstitution</b>	Reconstituted in ddH <sub>2</sub> O at 100 μg/mL.

## GENE INFORMATION

<b>Gene Name</b>	FGF10 fibroblast growth factor 10 [ Homo sapiens ]
<b>Official Symbol</b>	FGF10
<b>Synonyms</b>	FGF10; fibroblast growth factor 10; FGF-10; keratinocyte growth factor 2; produced by fibroblasts of urinary bladder lamina propria;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Gene ID	2255
mRNA Refseq	NM_004465
Protein Refseq	NP_004456
MIM	602115
UniProt ID	O15520

Tel: 1-631-559-9269 1-516-512-3133

Email: [info@creative-biomart.com](mailto:info@creative-biomart.com) Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA