

# Recombinant Human FGF2 Protein, MYC/DDK-tagged, C13 and N15-labeled

**Cat. No.** FGF2-155H    **Lot. No.** (See product label)

## SPECIFICATION

<b>Product Overview</b>	FGF2 MS Standard C13 and N15-labeled recombinant protein (NP_001997) with a C-terminal MYC/DDK tag, was expressed in HEK293 cells.
<b>Species</b>	Human
<b>Source</b>	HEK293
<b>Description</b>	The protein encoded by this gene is a member of the fibroblast growth factor (FGF) family. FGF family members bind heparin and possess broad mitogenic and angiogenic activities. This protein has been implicated in diverse biological processes, such as limb and nervous system development, wound healing, and tumor growth. The mRNA for this gene contains multiple polyadenylation sites, and is alternatively translated from non-AUG (CUG) and AUG initiation codons, resulting in five different isoforms with distinct properties. The CUG-initiated isoforms are localized in the nucleus and are responsible for the intracrine effect, whereas, the AUG-initiated form is mostly cytosolic and is responsible for the paracrine and autocrine effects of this FGF.
<b>Molecular Mass</b>	30.6 kDa
<b>AA Sequence</b>	MVGVGGGDVEDVTPRPGGCQISGRGARGCNGIPGAAWEAALPRRRPRRHPSVN PRSRAAGSPRTRGRRTEERPSGSRLGDRGRGRALPGGRLGGRGRGRAPERVGG RGRGRGTAAPRAAPAARGSRPGPAGTMAAGSITLTPALPEDGGSGAFPPGHFKDP

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

KRLYCKNGGFFLRIHPDGRVDGVREKSDPHIKLQLQAEERGVSIGVCANRYLAM  
 KEDGRLLASKCVTDECFERLESNNYNTYRSRKYTSWYVALKRTGQYKLGSKTGP  
 GQKAILFLPMSAKSTRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Purity** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Stability** Stable for 3 months from receipt of products under proper storage and handling conditions.

**Storage** Store at -80 centigrade. Avoid repeated freeze-thaw cycles.

**Concentration** 50 µg/mL as determined by BCA

**Storage Buffer** 100 mM glycine, 25 mM Tris-HCl, pH 7.3.

## GENE INFORMATION

**Gene Name** FGF2 fibroblast growth factor 2 [ Homo sapiens (human) ]

**Official Symbol** FGF2

**Synonyms** FGF2; fibroblast growth factor 2; BFGF; FGF-2; FGFB; HBGF-2; fibroblast growth factor 2; basic fibroblast growth factor bFGF; fibroblast growth factor 2 (basic); heparin-binding growth factor 2; prostatropin

**Gene ID** 2247

**mRNA Refseq** NM\_002006

**Protein Refseq** NP\_001997

 Tel: 1-631-559-9269 1-516-512-3133


 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MIM 134920

UniProt ID P09038

SDS-PAGE



 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA