

## Active Recombinant Human FGF2 Protein (Formulation I- Carrier Free-Lyophilized, 134-288, 154 amino acid)

Cat. No. FGF2-25H Lot. No. (See product label)

### SPECIFICATION

#### Product Overview

Recombinant Human FGF2 Protein (Formulation I- Carrier Free-Lyophilized, 134-288, 154 amino acid) without tag was expressed in E. coli.

#### Species

Human

#### Source

E.coli

#### ProteinLength

134-288, 154 amino acid

#### Description

The protein encoded by this gene is a member of the fibroblast growth factor (FGF) family. FGF family members bind heparin and possess broad mitogenic and angiogenic activities. This protein has been implicated in diverse biological processes, such as limb and nervous system development, wound healing, and tumor growth. The mRNA for this gene contains multiple polyadenylation sites, and is alternatively translated from non-AUG (CUG) and AUG initiation codons, resulting in five different isoforms with distinct properties. The CUG-initiated isoforms are localized in the nucleus and are responsible for the intracrine effect, whereas, the AUG-initiated form is mostly cytosolic and is responsible for the paracrine and autocrine effects of this FGF.

#### Form

Lyophilized

#### Bio-activity

ED50= 0.1-1.0 ng/mL as determined by the dose dependent proliferation of NIH 3T3 cells.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Molecular Mass</b>	17.3 kDa
<b>AA Sequence</b>	AAGSITTLPALPEDGGSGAFPPGHFKDPKRLYCKNGGFFLRIHPDGRVDGVREKSD PHIKLQLQAEERGVSIVKVCANRYLAMKEDGRLLASKCVTDECFERLESNNYNT YRSRKYTSWYVALKRTGQYKLGSKTGPQKAILFLPMSAKS
<b>Endotoxin</b>	< 0.01 ng/μg cytokine as determined by the LAL assay
<b>Purity</b>	> 98% by SDS-PAGE
<b>Usage</b>	Useful for cell culture and for the study of signaling pathways.
<b>Storage</b>	Upon receipt, it should be stored immediately at -20 to -80 centigrade. Lyophilized bFGF is stable at -20 to -80 centigrade for up to 16 months.
<b>Storage Buffer</b>	Sterile filtered through a 0.22 micron filter and lyophilized from Tris buffer (10 mM Tris pH7.5, 150 mM NaCl).
<b>Reconstitution</b>	Centrifuge vial before opening. It is recommended to reconstitute bFGF in sterile 10 mM Tris-HCl, pH 7.5 to yield a stock solution of 0.1 mg/mL of bFGF. It is stable for up to 6 months when stored at -20 centigrade and up to 12 months when stored at -80 centigrade. Multiple freeze/thaw cycles will result in significant loss of activity.
<b>Shipping</b>	The product is shipped at ambient temperature with ice bags.

## GENE INFORMATION

<b>Gene Name</b>	FGF2 fibroblast growth factor 2 [ Homo sapiens (human) ]
<b>Official Symbol</b>	FGF2


 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Synonyms</b>	FGF2; fibroblast growth factor 2; BFGF; FGFB; FGF-2; HBGF-2; fibroblast growth factor 2; basic fibroblast growth factor bFGF; fibroblast growth factor 2 (basic); heparin-binding growth factor 2; prostatropin
<b>Gene ID</b>	<a href="#">2247</a>
<b>mRNA Refseq</b>	<a href="#">NM_002006</a>
<b>Protein Refseq</b>	<a href="#">NP_001997</a>
<b>MIM</b>	<a href="#">134920</a>
<b>UniProt ID</b>	<a href="#">P09038</a>

**SDS-PAGE**




 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

**Activity**



 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA