

Active Recombinant Human FGFR1, Fc-tagged, Biotinylated

Cat. No. FGFR1-606H **Lot. No.** (See product label)

SPECIFICATION

| | |
|-------------------------|---|
| Product Overview | The recombinant human FGFR1-Fc fusion protein is expressed as a 492 amino acid protein consisting of Arg22 - Glu285 region of FGFR1 (Uniprot accession #P11362 - isoform 15) and a C-terminal Fc fusion from human IgG1, which exists as a dimer under non-reducing condition. |
| Species | Human |
| Source | Human Cells |
| ProteinLength | 22-285 a.a. |
| Form | Supplied at 0.5 mg/ml in sterile PBS pH7.4 (carrier free). The purified recombinant protein was labeled with Biotin (3-5 Biotin per molecule). |
| Bio-activity | Binds and inhibits aFGF / FGF-acidic dependent proliferation of mouse fibroblast cells with an ED50 of 0.02 - 0.15 µg/mL |
| Molecular Mass | Calculated molecular mass (kDa): 55.0; Estimated by SDS-PAGE under reducing condition (kDa): 70-80 |
| AA Sequence | RPSPTLPEQDALPSSSEDDDDDDSSSEEKTDNTKPNPVAPYWTSPEKMEKLLHA VPAAKTVKFKCPSSGTPNP TLRWLKNGKEFKPDHRIGGYKVRATWSIIMDSVPS DKGNYTCIVENEYGSINHTYQLDVVERSHPHPILQAG LPANKTVALGNSNVEFMCKVY SDPQPHIQWLKHIEVNGSKIGPDNLPYVQILKTAGVNTTDMEMEVLHLRNVSE DAG EYTCLAGNSIGLSHSAWLTVLEALEERPAMVMTSPLYLESTGTHTCPPCPAPPELLGG |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

PSVFLFPPKPKDTL MISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPRE
 EQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSN KALPAIEKTKISKAKGQPREPQVY
 TLPPSREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVL DSDGSFF
 LYSKLTVDKSRWQQGNVFCSSVMHEALHNHYTQKSLSLSPGK

Endotoxin <0.1 eu per 1 µg of purified recombinant protein determined by the

Purity >95% judged by SDS-PAGE under reducing condition

Storage The product is shipped at 4°C. Upon receipt, centrifuge the product briefly before opening the vial. It is recommended to store small aliquots at the temperature below -20°C for long-term storage and the product is stable for 3 months. The undiluted protein can be stored at 4°C for no more than 2 weeks. Avoid repeated freeze-thaw cycles.

Conjugation Biotin

GENE INFORMATION

Gene Name [FGFR1 fibroblast growth factor receptor 1 \[Homo sapiens \]](#)

Official Symbol FGFR1

Synonyms FGFR1; fibroblast growth factor receptor 1; FLT2, fms related tyrosine kinase 2 , KAL2; BFGFR; CD331; CEK; FLG; H2; H3; H4; H5; N SAM; Pfeiffer syndrome; FGFR1/PLAG1 fusion; proto-oncogene c-Fgr; FMS-like tyrosine kinase 2; hydroxyaryl-protein kinase; fms-related tyrosine kinase 2; heparin-binding growth factor receptor; basic fibroblast growth factor receptor 1; OGD; FLT2; KAL2; FGFBR; FLT-2; HBGFR; N-SAM; FGFR-1; bFGF-R-1; FLJ99988;

Gene ID [2260](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

| | |
|----------------------------|--|
| mRNA Refseq | NM_001174063 |
| Protein Refseq | NP_001167534 |
| MIM | 136350 |
| UniProt ID | P11362 |
| Chromosome Location | 8p12 |
| Pathway | Adherens junction, organism-specific biosystem; Adherens junction, conserved biosystem; Axon guidance, organism-specific biosystem; Developmental Biology, organism-specific biosystem; Downstream signaling of activated FGFR, organism-specific biosystem; Endochondral Ossification, organism-specific biosystem; FGF signaling pathway, organism-specific biosystem; |
| Function | ATP binding; fibroblast growth factor 1 binding; fibroblast growth factor binding; fibroblast growth factor-activated receptor activity; fibroblast growth factor-activated receptor activity; heparin binding; nucleotide binding; protein binding; protein homodimerization activity; protein tyrosine kinase activity; protein tyrosine kinase activity; receptor activity; |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA