

## Active Recombinant Human FGFR4, GST-tagged

Cat. No. FGFR4-91H Lot. No. (See product label)

### SPECIFICATION

**Product Overview** Recombinant human FGFR4 (V550E) (460-end) was expressed by baculovirus in Sf9 cells using an N-terminal GST tag.

**Species** Human

**Source** Sf9 Cells

**ProteinLength** 460-end a.a.

#### Description

The protein encoded by this gene is a member of the fibroblast growth factor receptor family, where amino acid sequence is highly conserved between members and throughout evolution. FGFR family members differ from one another in their ligand affinities and tissue distribution. A full-length representative protein would consist of an extracellular region, composed of three immunoglobulin-like domains, a single hydrophobic membrane-spanning segment and a cytoplasmic tyrosine kinase domain. The extracellular portion of the protein interacts with fibroblast growth factors, setting in motion a cascade of downstream signals, ultimately influencing mitogenesis and differentiation. The genomic organization of this gene, compared to members 1-3, encompasses 18 exons rather than 19 or 20. Although alternative splicing has been observed, there is no evidence that the C-terminal half of the IgIII domain of this protein varies between three alternate forms, as indicated for members 1-3. This particular family member preferentially binds acidic fibroblast growth factor and, although its specific function is unknown, it is overexpressed in gynecological tumor samples, suggesting a role in breast and ovarian tumorigenesis.?

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Form</b>	Recombinant protein stored in 50mM Tris-HCl, pH 7.5, 150mM NaCl, 10mM glutathione, 0.1mM EDTA, 0.25mM DTT, 0.1mM PMSF, 25% glycerol.
<b>Bio-activity</b>	The specific activity of FGFR4 (V550E) was determined to be 85 nmol/min/mg as per activity assay protocol.
<b>Molecular Mass</b>	~65 kDa
<b>AA Sequence</b>	460-end (V550E)
<b>Purity</b>	The purity of FGFR4 (V550E) was determined to be >75% by densitometry.
<b>Applications</b>	Kinase Assay
<b>Stability</b>	1 yr at -70oC from date of shipment.
<b>Storage</b>	Store product at -70oC. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. For most favorable performance, avoid repeated handling and multiple freeze/thaw cycles.
<b>Concentration</b>	0.1 ug/ul

## GENE INFORMATION

<b>Gene Name</b>	FGFR4?fibroblast growth factor receptor 4 [?Homo sapiens?(human) ]
<b>Official Symbol</b>	FGFR4
<b>Synonyms</b>	FGFR4; TKF; JTK2; CD334; fibroblast growth factor receptor 4; fibroblast growth factor receptor 4; FGFR-4; tyrosylprotein kinase; protein-tyrosine kinase; hydroxyaryl-protein kinase; tyrosine kinase related to fibroblast growth factor receptor; EC

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	2.7.10.1
<b>Gene ID</b>	2264
<b>mRNA Refseq</b>	NM_002011
<b>Protein Refseq</b>	NP_002002
<b>MIM</b>	134935
<b>UniProt ID</b>	P22455
<b>Chromosome Location</b>	5q35.2
<b>Pathway</b>	Constitutive PI3K/AKT Signaling in Cancer; DAP12 interactions; Downstream Signaling Events Of B Cell Receptor (BCR)
<b>Function</b>	ATP binding; fibroblast growth factor binding; fibroblast growth factor-activated receptor activity

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA