

Active Recombinant Human FLT1 Protein (27-328aa), C-hlgG-tagged

Cat. No. FLT1-01H Lot. No. (See product label)

SPECIFICATION

Product Overview Recombinant human VEGFR1/Flt-1 (27-328aa), fused to hlgG-tag at C-terminus, was expressed in HEK293 cell and purified by using conventional chromatography techniques.

Species Human

Source HEK293

ProteinLength 27-328aa

Description This gene encodes a member of the vascular endothelial growth factor receptor (VEGFR) family. VEGFR family members are receptor tyrosine kinases (RTKs) which contain an extracellular ligand-binding region with seven immunoglobulin (Ig)-like domains, a transmembrane segment, and a tyrosine kinase (TK) domain within the cytoplasmic domain. This protein binds to VEGFR-A, VEGFR-B and placental growth factor and plays an important role in angiogenesis and vasculogenesis. Expression of this receptor is found in vascular endothelial cells, placental trophoblast cells and peripheral blood monocytes. Multiple transcript variants encoding different isoforms have been found for this gene. Isoforms include a full-length transmembrane receptor isoform and shortened, soluble isoforms. The soluble isoforms are associated with the onset of pre-eclampsia.

Form Liquid

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Bio-activity	Measured by its ability to inhibit proliferation using HUVEC human umbilical vein endothelial cells in the presence of Human VEGF165. The ED50 range \leq 60 ng/mL.
Molecular Mass	60.3 kDa (535aa)
AA Sequence	SKLKDPELSLKGQTQHIMQAGQTLHLQCRGEAAHKWLSLPEMVSKESERLSITKSACG RNGKQFCSTLTLNTAQANHTGFYSCKYLAVPTSKKKETESAIYIFISDTGRPFVEMYS EIPEIHMTEGRELVIPCRVTSPNITVTLKKFPLDTLIPDGKRIIWDNRKGFIIISNATYKEI GLLTCEATVNGHLYKTNLTHRQTNTIIDVQISTPRPVKLLRGHTLVLNCTATTPLNTR VQMTWSYPDEKNKRASVRRRIDQSNSHANIFYSVLTIDKMQNKDKGLYTCRVRSGP SFKSVNTSVHI
Endotoxin	< 1 EU/ μ g of protein (determined by LAL method)
Purity	> 90% by SDS-PAGE
Applications	SDS-PAGE, Bioactivity
Notes	Note: For research use only. This product is not intended or approved for human, diagnostics or veterinary use.
Storage	Can be stored at +2 to +8 centigrade for 1 week. For long term storage, aliquot and store at -20 to -80 centigrade. Avoid repeated freezing and thawing cycles.
Concentration	0.5 mg/mL (determined by absorbance at 280nm)
Storage Buffer	Phosphate-Buffered Saline (pH 7.4) containing 10% glycerol

GENE INFORMATION

Gene Name [FLT1 fms related receptor tyrosine kinase 1 \[Homo sapiens \(human\) \]](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Official Symbol	FLT1
Synonyms	FLT1; fms related receptor tyrosine kinase 1; FLT; FLT-1; VEGFR1; VEGFR-1; vascular endothelial growth factor receptor 1; fms related tyrosine kinase 1; fms-like tyrosine kinase 1; fms-related tyrosine kinase 1 (vascular endothelial growth factor/vascular permeability factor receptor); tyrosine-protein kinase FRT; tyrosine-protein kinase receptor FLT; vascular permeability factor receptor; EC 2.7.10.1
Gene ID	2321
mRNA Refseq	NM_002019
Protein Refseq	NP_002010
MIM	165070
UniProt ID	P17948
SDS-PAGE	


Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA

3 μ g by SDS-PAGE under reducing condition and visualized by coomassie blue stain

Activity



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA