

## Active Recombinant Human FLT4, Fc-tagged, Biotinylated

Cat. No. FLT4-617H Lot. No. (See product label)

### SPECIFICATION

<b>Product Overview</b>	The recombinant human FLT4-Fc fusion is expressed as a 525 amino acid protein consisting of Tyr25 - Thr323 region of FLT4 and a C-terminal Fc from human IgG1, which exists as a dimer under non-reducing conditions.
<b>Species</b>	Human
<b>Source</b>	Human Cells
<b>ProteinLength</b>	25-323 a.a.
<b>Form</b>	Supplied at 0.5 mg/ml in sterile PBS pH7.4 (carrier free). The purified recombinant protein was labeled with Biotin (3-5 Biotin per molecule).
<b>Bio-activity</b>	Binds VEGF-C and VEGF-D and inhibits VEGF-dependent proliferation of human umbilical vein endothelial cells (HUVECs)
<b>Molecular Mass</b>	Calculated molecular mass (kDa): 59.1; Estimated by SDS-PAGE under reducing condition (kDa): 70-80
<b>Endotoxin</b>	<0.1 eu per 1 µg of purified recombinant protein determined by the lal>
<b>Purity</b>	>95% judged by SDS-PAGE under reducing condition
<b>Storage</b>	The product is shipped at 4°C. Upon receipt, centrifuge the product briefly before

Tel: 1-631-559-9269 1-516-512-3133

Email: [info@creative-biomart.com](mailto:info@creative-biomart.com) Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA

opening the vial. It is recommended to store small aliquots at the temperature below  $-20^{\circ}\text{C}$  for long-term storage and the product is stable for 3 months. The undiluted protein can be stored at  $4^{\circ}\text{C}$  for no more than 2 weeks. Avoid repeated freeze-thaw cycles.

**Conjugation** Biotin

## GENE INFORMATION

**Gene Name** [FLT4 fms-related tyrosine kinase 4 \[ Homo sapiens \]](#)

**Official Symbol** [FLT4](#)

**Synonyms** FLT4; fms-related tyrosine kinase 4; vascular endothelial growth factor receptor 3; PCL; VEGFR3; FLT-4; VEGFR-3; soluble VEGFR3 variant 1; soluble VEGFR3 variant 2; soluble VEGFR3 variant 3; fms-like tyrosine kinase 4; tyrosine-protein kinase receptor FLT4; FLT41; LMPH1A;

**Gene ID** [2324](#)

**mRNA Refseq** [NM\\_002020](#)

**Protein Refseq** [NP\\_002011](#)

**MIM** [136352](#)

**UniProt ID** [P35916](#)

**Chromosome Location** 5q34-q35

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

**Pathway**

Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem; Focal adhesion, organism-specific biosystem; Focal adhesion, conserved biosystem; Signal Transduction, organism-specific biosystem; Signaling by VEGF, organism-specific biosystem; Signaling events mediated by VEGFR1 and VEGFR2, organism-specific biosystem;

**Function**

ATP binding; growth factor binding; nucleotide binding; protein binding; protein phosphatase binding; receptor activity; transmembrane receptor protein tyrosine kinase activity; vascular endothelial growth factor-activated receptor activity; vascular endothelial growth factor-activated receptor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA