

Recombinant Human FOXA1 293 Cell Lysate

Cat. No. FOXA1-6164HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for forkhead box A1 (FOXA1) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



GENE INFORMATION

Gene Name	FOXA1 forkhead box A1 [Homo sapiens]
Official Symbol	FOXA1
Synonyms	FOXA1; forkhead box A1; hepatocyte nuclear factor 3, alpha , HNF3A; hepatocyte nuclear factor 3-alpha; HNF-3A; TCF-3A; HNF-3-alpha; forkhead box protein A1; transcription factor 3A; hepatocyte nuclear factor 3, alpha; HNF3A; TCF3A; MGC33105;
Gene ID	3169
mRNA Refseq	NM_004496
Protein Refseq	NP_004487
MIM	602294
UniProt ID	P55317
Chromosome Location	14q12-q13
Pathway	Direct p53 effectors, organism-specific biosystem; FOXA transcription factor networks, organism-specific biosystem; FOXA1 transcription factor network, organism-specific biosystem; FOXA2 and FOXA3 transcription factor networks, organism-specific biosystem;
Function	DNA binding; DNA binding, bending; RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA



regulation of transcription; double-stranded DNA binding; protein domain specific binding; sequence-specific DNA binding; sequence-specific DNA binding transcription factor activity; sequence-specific distal enhancer binding RNA polymerase II transcription factor activity; transcription factor binding; transcription regulatory region DNA binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA