

# Active Recombinant Mouse Flt4 protein(Met1-Glu775), His-tagged

**Cat. No.** Flt4-282M    **Lot. No.** (See product label)

## SPECIFICATION

<b>Product Overview</b>	Recombinant Mouse Flt4 protein(P35917-1)(Met1-Glu775), fused with C-terminal His tag, was expressed in HEK293.
<b>Species</b>	Mouse
<b>Source</b>	HEK293
<b>ProteinLength</b>	Met1-Glu775
<b>similar</b>	Flt4
<b>Alias</b>	FLT4; FMS-like tyrosine kinase 4; vascular endothelial growth factor receptor 3; chylous ascites; receptor protein tyrosine kinase; tyrosine-protein kinase receptor FLT4; vascular endothelial growth factor receptor-3; Chy; Flt-4; VEGFR3; VEGFR-3; AI323512;
<b>Conjugate</b>	C-His
<b>Form</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization.
<b>Bioactivity</b>	
<b>MolecularMass</b>	The secreted recombinant mouse FLT4 consists of 762 amino acids and has a

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	predicted molecular mass of 86.4 kDa. The apparent molecular mass of rm FLT4 is approximately 95-105 kDa due to glycosylation in non-reduced SDS-PAGE.
<b>Endotoxin</b>	< 1.0 EU per µg of the protein as determined by the LAL method
<b>Purity</b>	> 97 % as determined by SDS-PAGE
<b>Storage</b>	Samples are stable for up to twelve months from date of receipt at -20°C to -80°C. Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
<b>Reconstitution</b>	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.
<b>GeneName</b>	Flt4 FMS-like tyrosine kinase 4 [ Mus musculus ]
<b>GeneNameWeblink</b>	<a href="#">14257</a>
<b>OfficialSymbol</b>	Flt4
<b>OfficialSymbolWeblink</b>	<a href="#">14257</a>
<b>GeneID</b>	14257
<b>GeneIDWeblink</b>	<a href="#">14257</a>
<b>mRNARefseq</b>	NM_008029
<b>mRNARefseqWeblink</b>	<a href="#">NM_008029.3</a>
<b>ProteinRefseqWeblink</b>	<a href="#">NP_032055.1</a>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>MIMWeblink</b>	
<b>UniProtID</b>	
<b>UniProtIDWeblink</b>	
<b>GENE INFORMATION</b>	
<b>Synonyms</b>	FLT4; FMS-like tyrosine kinase 4; vascular endothelial growth factor receptor 3; chylous ascites; receptor protein tyrosine kinase; tyrosine-protein kinase receptor FLT4; vascular endothelial growth factor receptor-3; Chy; Flt-4; VEGFR3; VEGFR-3; AI323512;
<b>MIM</b>	

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA