

Recombinant Human GADD45G 293 Cell Lysate

Cat. No. GADD45G-6053HCL Lot. No. (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for growth arrest and DNA-damage-inducible, gamma (GADD45G) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name [GADD45G growth arrest and DNA-damage-inducible, gamma \[Homo sapiens \]](#)

Official Symbol [GADD45G](#)

Synonyms [GADD45G](#); growth arrest and DNA-damage-inducible, gamma; growth arrest and DNA damage-inducible protein GADD45 gamma; CR6; DDIT2; gadd related protein; 17 kD; GADD45gamma; growth arrest and DNA damage inducible gamma; GRP17; DDIT-2; GADD45-gamma; gadd-related protein, 17 kD; cytokine-responsive protein CR6; DNA damage-inducible transcript 2 protein;

Gene ID [10912](#)

mRNA Refseq [NM_006705](#)

Protein Refseq [NP_006696](#)

MIM [604949](#)

UniProt ID [O95257](#)

Chromosome Location 9q22.1-q22.2

Pathway Cell cycle, organism-specific biosystem; Cell cycle, conserved biosystem; IL12-mediated signaling events, organism-specific biosystem; MAPK signaling pathway, organism-specific biosystem; MAPK signaling pathway, conserved biosystem; p38 MAPK signaling pathway, organism-specific biosystem; p53 signaling pathway,

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA




organism-specific biosystem;

Function

protein binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA