

Recombinant Human GCNT1 293 Cell Lysate

Cat. No. GCNT1-5980HCL Lot. No. (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for glucosaminyl (N-acetyl) transferase 1, core 2 (beta-1,6-N-acetylglucosaminyltransferase) (GCNT1), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name GCNT1 glucosaminyl (N-acetyl) transferase 1, core 2 [Homo sapiens]

Official Symbol GCNT1

Synonyms

GCNT1; glucosaminyl (N-acetyl) transferase 1, core 2; glucosaminyl (N acetyl) transferase 1, core 2 (beta 1,6 N acetylglucosaminyltransferase) , NACGT2; beta-1,3-galactosyl-O-glycosyl-glycoprotein beta-1,6-N-acetylglucosaminyltransferase; beta 1; 3 galactosyl O glycosyl glycoprotein beta 1; 6 N acetylglucosaminyltransferase; C2GNT; core 2 beta1; 6 N acetylglucosaminyltransferase I; NAGCT2; core 2 GnT; core 2 branching enzyme; core 2-branching enzyme; core2-GlcNAc-transferase; beta-1,6-N-acetylglucosaminyltransferase; core 2 beta1,6 N-acetylglucosaminyltransferase-I; core 2 beta-1,6-N-acetylglucosaminyltransferase I; beta-1,3-galactosyl-O-glycosyl-glycoprotein beta-1,6-N-acetylglucosaminyltransferase; glucosaminyl (N-acetyl) transferase 1, core 2 (beta-1,6-N-acetylglucosaminyltransferase); G6NT; C2GNT1; NACGT2; C2GNT-L; MGC126335; MGC126336;

Gene ID 2650

mRNA Refseq NM_001097633

Protein Refseq NP_001091102

MIM 600391

UniProt ID Q02742

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Chromosome Location	9q13
Pathway	Metabolic pathways, organism-specific biosystem; Metabolism of proteins, organism-specific biosystem; Mucin type O-Glycan biosynthesis, organism-specific biosystem; Mucin type O-Glycan biosynthesis, conserved biosystem; O-glycan biosynthesis, mucin type core, organism-specific biosystem; O-glycan biosynthesis, mucin type core, conserved biosystem; O-linked glycosylation of mucins, organism-specific biosystem;
Function	beta-1,3-galactosyl-O-glycosyl-glycoprotein beta-1,6-N-acetylglucosaminyltransferase activity; transferase activity, transferring glycosyl groups;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA