

Recombinant Human GCNT2 293 Cell Lysate

Cat. No. GCNT2-5979HCL Lot. No. (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for glucosaminyl (N-acetyl) transferase 2, I-branching enzyme (I blood group) (GCNT2), transcript variant 3 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	GCNT2 glucosaminyl (N-acetyl) transferase 2, I-branching enzyme (I blood group) [Homo sapiens]
Official Symbol	GCNT2
Synonyms	GCNT2; glucosaminyl (N-acetyl) transferase 2, I-branching enzyme (I blood group); cataract, congenital , CCAT, GCNT5, glucosaminyl (N acetyl) transferase 2, I branching enzyme , glucosaminyl (N acetyl) transferase 2, I branching enzyme (Ii blood group) , glucosaminyl (N acetyl) transferase 5 , II, NACGT1; N-acetyllactosaminide beta-1,6-N-acetylglucosaminyl-transferase; bA360O19.2; bA421M1.1; IGNT; Ii blood group; NAGCT1; ULG3; unassigned linkage group 3; I beta-1,6-N-acetylglucosaminyltransferase; beta-1,6-N-acetylglucosaminyltransferase 2; II; CCAT; GCNT5; GCNT2C; NACGT1; MGC163396;
Gene ID	2651
mRNA Refseq	NM_001491
Protein Refseq	NP_001482
MIM	600429
UniProt ID	Q06430
Chromosome Location	6p24.2

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Pathway

Glycosphingolipid biosynthesis - lacto and neolacto series, organism-specific biosystem; Glycosphingolipid biosynthesis - lacto and neolacto series, conserved biosystem; Metabolic pathways, organism-specific biosystem;

Function

N-acetyllactosaminide beta-1,6-N-acetylglucosaminyltransferase activity; transferase activity, transferring glycosyl groups;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA