

Active Recombinant Human GLS Protein, His-tagged

Cat. No. GLS-08H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant human Glutaminase protein (Ser17-Leu669) with N-terminal Met and 6-His tag was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	17-669 a.a.
Description	This gene encodes the K-type mitochondrial glutaminase. The encoded protein is an phosphate-activated amidohydrolase that catalyzes the hydrolysis of glutamine to glutamate and ammonia. This protein is primarily expressed in the brain and kidney plays an essential role in generating energy for metabolism, synthesizing the brain neurotransmitter glutamate and maintaining acid-base balance in the kidney. Alternate splicing results in multiple transcript variants.
Bio-activity	Measured by its ability to hydrolyze glutamine to glutamate. The specific activity is >12000 pmol/min/μg, as measured under the described conditions.
Molecular Mass	73 kDa
AA Sequence	MAGHLASDFAFSPPPGGGGDGPGGPEPGWVDPRTWLSFQGPPGGPGIGPGVGP GSEVWGIPPCCPPYEFCCGMAYCGPQVGVGLVPQGGLETSQPEGEAGVGVESNS DGASPEPCTVTPGAVKLEKEKLEQNPEESQDIKALQKELEQFAKLLKQKRITLGYTQ ADVGLTLGVLFGKVFSSQTTICRFEALQLSFKNMCKLRPLLQKWVEEADNNENLQEIC

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

KAETLVQARKRKRTSIENRVRGNLENLFLQCPKPTLQQISHIAQQLGLEKDVVRVWF
 CNRRQKKGKRSSSDYAQREDFEAAGSPFSGGPVSFPLAPGPHFGTTPGYGSPHFTAL
 YSSVPFPEGEAFPPVSVTTLGSPMHSNESGGGGSPGRRRRRRRRRRRR

N-terminal Sequence Analysis

Met

Purity

> 80%, by SDS-PAGE visualized with Silver Staining and quantitative densitometry by Coomassie® Blue Staining.

Applications

Enzyme Activity

Storage

Use a manual defrost freezer and avoid repeated freeze-thaw cycles.
 6 months from date of receipt, -70 centigrade as supplied.
 3 months, -70 centigrade under sterile conditions after opening.

Storage Buffer

Supplied as a 0.2 µm filtered solution in Tris, NaCl, TCEP, Glycerol and CHAPS.

Shipping

The product is shipped with polar packs.

GENE INFORMATION

Gene Name

GLS glutaminase [Homo sapiens (human)]

Official Symbol

GLS

Synonyms

GLS; glutaminase; GAC; GAM; KGA; GLS1; AAD20; DEE71; GDPAG; CASGID; EIEE71; glutaminase kidney isoform, mitochondrial; K-glutaminase; L-glutamine amidohydrolase; glutaminase C; glutaminase, phosphate-activated; EC 3.5.1.2

Gene ID

2744

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mRNA Refseq	NM_014905
Protein Refseq	NP_055720
MIM	138280
UniProt ID	O94925
Enzyme Activity	Recombinant Human Glutaminase His-tag is measured by its ability to hydrolyze glutamine to glutamate. The activity (orange) is higher than the competitor's Glutaminase (green).
Recombinant Human Glutaminase His-tag Protein SDS-PAGE	1 µg/lane of Recombinant Human Glutaminase His-tag and 1 µg/lane of competitor Human Glutaminase was resolved with 4-20% SDS-PAGE under reducing (R) and non-reducing (NR) conditions and visualized by silver staining.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA