

## Recombinant Bundibugyo ebolavirus GP, Fc-tagged

Cat. No. GP-26B Lot. No. (See product label)

### SPECIFICATION

**Product Overview** A DNA sequence encoding the Bundibugyo ebolavirus(strain Uganda 2007) GP (Met1-Val308) was expressed with the Fc region of human IgG1 at the C-terminus.

**Species** Bundibugyo ebolavirus

**Source** Human Cells

**ProteinLength** 1-308 a.a.

### Description

The fourth gene of the EBOV genome encodes a 160-kDa envelope-attached glycoprotein (GP) and a 110 kDa secreted glycoprotein (sGP). Both GP and sGP have an identical 295-residue N-terminus, however, they have different C-terminal sequences. Recently, great attention has been paid to GP for vaccines design and entry inhibitors isolation. GP is a class I fusion protein which assembles as trimers on viral surface and plays an important role in virus entry and attachment. Mature GP is a disulfide-linked heterodimer formed by two subunits, GP1 and GP2, which are generated from the proteolytical process of GP precursor (pre-GP) by cellular furin during virus assembly . The GP1 subunit contains a mucin domain and a receptor-binding domain (RBD); the GP2 subunit has a fusion peptide, a helical heptad-repeat (HR) region, a transmembrane (TM) domain, and a 4-residue cytoplasmic tail. The RBD of GP1 mediates the interaction of EBOV with cellular receptor (e.g. DC-SIGN/LSIGN, TIM-1, hMGL, NPC1,  $\beta$ -integrins, folate receptor- $\alpha$ , and Tyro3 family receptors), of which TIM1 and NPC1 are essential for EBOV entry; the mucin domain having N- and O-linked glycans enhances the viral attachment to cellular hMGL, and

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

participates in shielding key neutralization epitopes, which helps the virus evade immune elimination. There are large conformation changes of GP2 during membrane fusion, which enhance the insertion of fusion loop into cellular membrane and facilitate the release of viral nucleocapsid core to cytoplasm.

<b>Predicted N Terminal</b>	Ile 33
<b>Form</b>	Lyophilized from sterile PBS, pH 7.4.
<b>Molecular Mass</b>	The recombinant Bundibugyo ebolavirus(strain Uganda 2007) GP consists 514 amino acids and predicts a molecular mass of 57.6 kDa.
<b>Endotoxin</b>	< 1.0 eu per µg protein as determined by the lal
<b>Purity</b>	>95 % as determined by SDS-PAGE
<b>Stability</b>	Samples are stable for up to twelve months from date of receipt at -70oC.
<b>Storage</b>	Store it under sterile conditions at -20oC to -80oC. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
<b>Reconstitution</b>	A hardcopy of COA with reconstitution instruction is sent along with the products.?
<b>Shipping</b>	In general, recombinant proteins are provided as lyophilized powder which are shipped at ambient temperature. Bulk packages of recombinant proteins are provided as frozen liquid. They are shipped out with blue ice unless customers require otherwise.

## GENE INFORMATION

**Gene Name**                      [GP?second secreted glycoprotein \[?Bundibugyo ebolavirus?\]](#)

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



<b>Official Symbol</b>	GP
<b>Synonyms</b>	GP; EBOV-G; Glycoprotein; second secreted glycoprotein; small secreted glycoprotein; spike glycoprotein; YP_003815435.1; cleaved by furin into subunits GP1 and GP2 to yield a heterodimer linked by a disulfide bond; YP_003815436.1; small non-structural secreted glycoprotein; sGP
<b>Gene ID</b>	<a href="#">9487265</a>
<b>Protein Refseq</b>	<a href="#">YP_003815436</a>

Tel: 1-631-559-9269 1-516-512-3133

Email: [info@creative-biomart.com](mailto:info@creative-biomart.com) Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA