

# Recombinant Cynomolgus GPC3 Protein, Fc-tagged, Alexa Fluor 647 conjugated

**Cat. No.** GPC3-50CAF647    **Lot. No.** (See product label)

## SPECIFICATION

<b>Product Overview</b>	Alexa Fluor 647 conjugated Recombinant Cynomolgus GPC3 protein (Gln25-His559), fused to human IgG1 Fc tag at C-terminus, was expressed in human 293 cells (HEK293).
<b>Species</b>	Cynomolgus
<b>Source</b>	HEK293
<b>ProteinLength</b>	535
<b>Description</b>	Cell surface heparan sulfate proteoglycans are composed of a membrane-associated protein core substituted with a variable number of heparan sulfate chains. Members of the glypican-related integral membrane proteoglycan family (GRIPS) contain a core protein anchored to the cytoplasmic membrane via a glycosyl phosphatidylinositol linkage. These proteins may play a role in the control of cell division and growth regulation. The protein encoded by this gene can bind to and inhibit the dipeptidyl peptidase activity of CD26, and it can induce apoptosis in certain cell types. Deletion mutations in this gene are associated with Simpson-Golabi-Behmel syndrome, also known as Simpson dysmorphia syndrome. Alternative splicing results in multiple transcript variants.
<b>Form</b>	Lyophilized
<b>Molecular Mass</b>	The protein has a calculated MW of 87.5 kDa. The protein migrates as 44 kDa, 60

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	kDa and 100-120 kDa on a SDS-PAGE gel under reducing (R) condition due to naturally cleavage.
<b>Endotoxin</b>	Less than 1.0 EU/μg by the LAL method.
<b>Purity</b>	>90% GPC3 and 2-8% human IgG1 Fc fragment as determined by SDS-PAGE.
<b>Storage</b>	<p>For long term storage, the product should be stored at lyophilized state at -20 centigrade or lower.</p> <p>Please avoid repeated freeze-thaw cycles.</p> <p>This product is stable after storage at:</p> <p>-20 centigrade to -70 centigrade for 12 months in lyophilized state;</p> <p>-70 centigrade for 3 months under sterile conditions after reconstitution.</p>
<b>Storage Buffer</b>	Lyophilized from 0.22 um filtered solution in Tris with Glycine, Arginine and NaCl, pH7.5, 10% trehalose.
<b>Reconstitution</b>	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 μg/μl. Centrifuge the vial at 4 centigrade before opening to recover the entire contents.
<b>Conjugation</b>	Alexa Fluor 647

## GENE INFORMATION

<b>Gene Name</b>	GPC3 glypican 3 [ <i>Macaca mulatta</i> (Rhesus monkey) ]
<b>Official Symbol</b>	GPC3
<b>Synonyms</b>	GPC3; glypican 3; glypican-3; SGB; DGSX; MXR7; SDYS; SGBS; OCI-5; SGBS1; GTR2-2; glypican-3; glypican proteoglycan 3; heparan sulphate proteoglycan;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



intestinal protein OCI-5; secreted glypican-3

**Gene ID** [www.ncbi.nlm.nih.gov/gene/706773](http://www.ncbi.nlm.nih.gov/gene/706773)

**mRNA Refseq** [XM\\_015128213](#)

**Protein Refseq** [XP\\_014983699](#)

**UniProt ID** [F6TST2](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA