

Active Recombinant Human GSTA4 protein, His-tagged

Cat. No. GSTA4-24H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant human GSTA4 protein, fused to His-tag at N-terminus, was expressed in E.coli and purified by using conventional chromatography techniques.
Species	Human
Source	E.coli
Description	GSTA4, also known as glutathione S-transferase A4, belongs to the GST superfamily. This enzyme is involved in cellular defense against toxic, carcinogenic, and pharmacologically active electrophilic compounds. GSTA4 shows very high activity with reactive carbonyl compounds such as alk-2-enals. GSTA4 is highly effective in catalyzing the conjugate addition of reduced glutathione to 4-hydroxynonenal, an important product of peroxidative degradation of arachidonic acid and a commonly used biomarker for oxidative damage in tissue. This enzyme is expressed at a high level in brain, placenta, and skeletal muscle and much lower in lung and liver.
Form	Liquid. In 20 mM Tris-HCl buffer (pH8.0), 2mM DTT, 20% glycerol, 100mM NaCl
Bio-activity	Specific activity is >4,000 pmol/min/ug, and is defined as the amount of enzyme that conjugate 1.0 u mole of 1-chloro-2,4-dinitrobenzene (CDNB) with reduced glutathione per minute at pH 6.5 at 25C.
Molecular Mass	28.3kDa (246aa) confirmed by MALDI-TOF
AA Sequence	MGSSHHHHHH SSGLVPRGSH MGSHEMAARPK LHYPNGRGRM ESVRWVLAAL

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

GVEFDEEFLE TKEQLYKLQD GNHLLFQQVP MVEIDGMKLV QTRSILHYIA
 DKHNLFQGNL KERTLIDMYV EGTLDLLELL IMHPFLKPDD QQKEVVNMAQ
 KAIIRYFPVF EKILRGHGQS FLVGNQLSLA DVILLQTI LA LEEKIPNILS
 AFPFLQEYTV KLSNIPTIKR FLEPGSKKKP PPDEIYVRTV YNIFRP

Purity >95% by SDS - PAGE

Storage Can be stored at +4 centigrade short term (1-2 weeks). For long term storage, aliquot and store at -20 centigrade or -70 centigrade. Avoid repeated freezing and thawing cycles.

Concentration 1 mg/ml (determined by Bradford assay)

GENE INFORMATION

Gene Name [GSTA4 glutathione S-transferase alpha 4 \[Homo sapiens \]](#)

Official Symbol [GSTA4](#)

Synonyms GSTA4; glutathione S-transferase alpha 4; glutathione S transferase A4; glutathione S-transferase A4; GST class-alpha member 4; glutathione transferase A4-4; glutathione S-transferase A4-4; glutathione S-aryltransferase A4; glutathione S-alkyltransferase A4; glutathione S-aralkyltransferase A4; S-(hydroxyalkyl)glutathione lyase A4; GTA4; GSTA4-4; DKFZp686D21185;

Gene ID [2941](#)

mRNA Refseq [NM_001512](#)

Protein Refseq [NP_001503](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MIM	605450
UniProt ID	O15217
Chromosome Location	6p12.2
Pathway	Biological oxidations, organism-specific biosystem; Drug metabolism - cytochrome P450, organism-specific biosystem; Drug metabolism - cytochrome P450, conserved biosystem; Glutathione conjugation, organism-specific biosystem; Glutathione metabolism, organism-specific biosystem; Glutathione metabolism, conserved biosystem; Metabolism, organism-specific biosystem;
Function	glutathione transferase activity; glutathione transferase activity; glutathione transferase activity; protein homodimerization activity; transferase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA