

Recombinant Human GUCY1B3 293 Cell Lysate

Cat. No. GUCY1B3-5676HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for guanylate cyclase 1, soluble, beta 3 (GUCY1B3) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	GUCY1B3 guanylate cyclase 1, soluble, beta 3 [Homo sapiens]
Official Symbol	GUCY1B3
Synonyms	GUCY1B3; guanylate cyclase 1, soluble, beta 3; GUC1B3; guanylate cyclase soluble subunit beta-1; GC S beta 1; GC SB3; GCS-beta-1; GCS-beta-3; soluble guanylate cyclase small subunit; guanylate cyclase soluble subunit beta-3; GUCB3; GC-SB3; GUCSB3; GUCY1B1; GC-S-beta-1;
Gene ID	2983
mRNA Refseq	NM_000857
Protein Refseq	NP_000848
MIM	139397
UniProt ID	Q02153
Chromosome Location	4q31.3-q33
Pathway	Gap junction, organism-specific biosystem; Gap junction, conserved biosystem; Hemostasis, organism-specific biosystem; Long-term depression, organism-specific biosystem; Long-term depression, conserved biosystem; Nitric oxide stimulates guanylate cyclase, organism-specific biosystem; Platelet homeostasis, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

GTP binding; Hsp90 protein binding; guanylate cyclase activity; heme binding; ion binding; metal ion binding; nucleotide binding; protein heterodimerization activity; receptor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA