

Recombinant Mouse Gdf5 protein, His-tagged

Cat. No. Gdf5-512M Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Mouse Gdf5(376-495aa) fused with His tag at N-terminal was expressed in E. coli.
Species	Mouse
Source	E.coli
ProteinLength	376-495 a.a.
Description	<p>Growth/differentiation factor 5 precursor, also known as GDF5, is a member of the TGF superfamily. GDF5 has been shown to induce activation of plasminogen activator, thereby inducing angiogenesis. It is predominantly expressed in long bones during fetal embryonic development and is involved in bone formation.</p> <p>GDF5 mutations have been identified in mice with the mutation brachypodism (bp), a mutation which affects the length and number of bones in limbs.</p>
Form	Liquid. In 20mM Tris-HCl buffer (pH 8.0) containing 10% glycerol
Molecular Mass	16kDa (143aa)
AA Sequence	<p>MGSSHHHHHH SSGLVPRGSH MGSAPLANRQ GKRPSKNLKA RCSRKALHVN FKDMGWDDWI IAPLEYEAFH CEGLCFPLR SHLEPTNHAVIQTLMNSMDP ESTPPTCCVP TRLSPI SILF IDSANNVVK QYEDMVVESC GCR</p>
Purity	> 90% by SDS - PAGE

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage Can be stored at +4 centigrade short term (1-2 weeks). For long term storage, aliquot and store at -20 centigrade or -70 centigrade. Avoid repeated freezing and thawing cycles.

Concentration 0.5 mg/ml (determined by Bradford assay)

GENE INFORMATION

Gene Name [Gdf5 growth differentiation factor 5 \[Mus musculus \]](#)

Official Symbol [Gdf5](#)

Synonyms GDF5; growth differentiation factor 5; growth/differentiation factor 5; GDF-5; brachypodism; cartilage-derived morphogenetic protein-1; bp; brp; Cdmp-1;

Gene ID [14563](#)

mRNA Refseq [NM_008109](#)

Protein Refseq [NP_032135](#)

MIM

UniProt ID [P43027](#)

Chromosome Location 2 H1; 2 77.26 cM

Pathway Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem; TGF-beta signaling pathway, organism-specific biosystem; TGF-beta signaling pathway, conserved biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

cytokine activity; growth factor activity; protein binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA