

Recombinant Human HADHB 293 Cell Lysate

Cat. No. HADHB-5645HCL Lot. No. (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for hydroxyacyl-Coenzyme A dehydrogenase/3-ketoacyl-Coenzyme A thiolase/enoyl-Coenzyme A hydratase (trifunctional protein), beta subunit (HADHB), nuclear gene encoding mitochondrial protein is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name

HADHB hydroxyacyl-CoA dehydrogenase/3-ketoacyl-CoA thiolase/enoyl-CoA hydratase (trifunctional protein), beta subunit [Homo sapiens]

Official Symbol

HADHB

Synonyms

HADHB; hydroxyacyl-CoA dehydrogenase/3-ketoacyl-CoA thiolase/enoyl-CoA hydratase (trifunctional protein), beta subunit; hydroxyacyl Coenzyme A dehydrogenase/3 ketoacyl Coenzyme A thiolase/enoyl Coenzyme A hydratase (trifunctional protein), beta subunit; trifunctional enzyme subunit beta, mitochondrial; mitochondrial trifunctional protein; beta subunit; MTPB; beta-ketothiolase; acetyl-CoA acyltransferase; 2-enoyl-Coenzyme A (CoA) hydratase, beta subunit; mitochondrial trifunctional enzyme, beta subunit; mitochondrial trifunctional protein, beta subunit; hydroxyacyl-Coenzyme A (CoA) dehydrogenase, beta subunit; 3-ketoacyl-Coenzyme A (CoA) thiolase of mitochondrial trifunctional protein, beta subunit; hydroxyacyl-Coenzyme A dehydrogenase/3-ketoacyl-Coenzyme A thiolase/enoyl-Coenzyme A hydratase (trifunctional protein), beta subunit; ECHB; MSTP029; TP-BETA; MGC87480;

Gene ID

3032

mRNA Refseq

NM_000183

Protein Refseq


NP_000174

MIM

143450

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID	P55084
Chromosome Location	2p23
Pathway	Beta oxidation of decanoyl-CoA to octanoyl-CoA-CoA, organism-specific biosystem; Beta oxidation of hexanoyl-CoA to butanoyl-CoA, organism-specific biosystem; Beta oxidation of lauroyl-CoA to decanoyl-CoA-CoA, organism-specific biosystem; Beta oxidation of myristoyl-CoA to lauroyl-CoA, organism-specific biosystem; Beta oxidation of octanoyl-CoA to hexanoyl-CoA, organism-specific biosystem; Beta oxidation of palmitoyl-CoA to myristoyl-CoA, organism-specific biosystem; Fatty Acid Beta Oxidation, organism-specific biosystem;
Function	3-hydroxyacyl-CoA dehydrogenase activity; NAD binding; acetyl-CoA C-acyltransferase activity; enoyl-CoA hydratase activity; fatty-acyl-CoA binding; long-chain-3-hydroxyacyl-CoA dehydrogenase activity; long-chain-enoil-CoA hydratase activity; protein binding; transferase activity, transferring acyl groups other than amino-acyl groups;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA