

Active Recombinant Human HBEGF protein

Cat. No. HBEGF-530H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human HBEGF protein(Q99075)(63-148 aa) was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	63-148 aa
Form	Lyophilized from a 0.2 µ filtered concentrated solution in 10 mM PB, 500 mM NaCl, 5% trehalose, pH 7.4.
Bio-activity	Fully biologically active when compared to standard. The ED50 as determined by a cell proliferation assay using murine Balb/c 3T3 cells is less than 1 ng/ml, corresponding to a specific activity of > 1.0 × 10 ⁶ U/mg.
Molecular Mass	Approximately 9.7 kDa, a single non-glycosylated polypeptide chain containing 86 amino acids.
AASequence	DLQEADLDLL RVTLSKPKQA LATPNKEEHG KRKKKGKGLG KKRDPCLRKY KDFCIHGCEK YVKELRAPSC ICHPGYHGER CHGLSL
Endotoxin	Less than 0.1 EU/g of rHuHB-EGF as determined by LAL method.
Purity	> 97% by SDS-PAGE and HPLC analyses.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage

Use a manual defrost freezer and avoid repeated freeze-thaw cycles. - 12 months from date of receipt, -20 to -70 °C as supplied. - 1 month, 2 to 8 °C under sterile conditions after reconstitution. - 3 months, -20 to -70 °C under sterile conditions after reconstitution.

Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute in sterile distilled water or aqueous buffer containing 0.1 % BSA to a concentration of 0.1-1.0 mg/mL. Stock solutions should be apportioned into working aliquots and stored at ≤ -20 °C. Further dilutions should be made in appropriate buffered solutions.

GENE INFORMATION

Gene Name

HBEGF heparin-binding EGF-like growth factor [*Homo sapiens*]

Official Symbol

HBEGF

Synonyms

HBEGF; heparin-binding EGF-like growth factor; diphtheria toxin receptor (heparin binding epidermal growth factor like growth factor) , DTR, DTS, HEGFL; proheparin-binding EGF-like growth factor; Diphtheria toxin receptor (heparin binding EGF like growth factor); heparin binding epidermal growth factor; heparin-binding epidermal growth factor; diphtheria toxin receptor (heparin-binding EGF-like growth factor); diphtheria toxin receptor (heparin-binding epidermal growth factor-like growth factor); DTR; DTS; DTSF; HEGFL;

Gene ID

1839

mRNA Refseq

NM_001945

Protein Refseq

NP_001936

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



MIM	126150
UniProt ID	Q99075
SDS-PAGE	

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA