

Recombinant Human HBG2 protein, His-tagged

Cat. No. HBG2-16H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human HBG2(1-147aa) fused with His tag at N-terminal was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	1-147 a.a.
Description	Hemoglobin subunit gamma-2, also known as HBG2, belongs to the fetal hemoglobin subunit, which consists of two alpha chains together with two gamma chains. Increased fetal hemoglobin production in adults can ameliorate the clinical severity of sickle cell disease and beta-thalassemia major.
Form	Liquid. In 20mM Tris-HCl buffer (pH 8.0) containing 0.1M NaCl, 20% glycerol, 1mM DTT
Molecular Mass	18.5 kDa (170aa) confirmed by MALDI-TOF
Purity	> 90% by SDS - PAGE
Storage	Can be stored at +4 centigrade short term (1-2 weeks). For long term storage, aliquot and store at -20 centigrade or -70 centigrade. Avoid repeated freezing and thawing cycles.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Concentration 0.5 mg/ml (determined by Bradford assay)

GENE INFORMATION

Gene Name [HBG2 hemoglobin subunit gamma 2 \[Homo sapiens \]](#)

Official Symbol [HBG2](#)

Synonyms TNCY; HBG-T1; G-gamma globin Paulinia; abnormal hemoglobin; gamma-2-globin; hb F Ggamma; hemoglobin gamma-2 chain; hemoglobin gamma-G chain; hemoglobin, gamma G; methemoglobin

Gene ID [3048](#)

mRNA Refseq [NM_000184](#)

Protein Refseq [NP_000175](#)

MIM [142250](#)

UniProt ID [P69892](#)

Chromosome Location 11p15.5

Pathway Factors involved in megakaryocyte development and platelet production, organism-specific biosystem; Hemostasis, organism-specific biosystem

Function heme binding; iron ion binding; oxygen binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA