

Recombinant Human Histone Deacetylase 1, His-FLAG Tagged

Cat. No. HDAC1-374H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human full-length HDAC1 with C-terminal His-FLAG Tagged.
Species	Human
Source	Sf9 Cells
Protein Length	1-482 aa
Description	HDAC1 belongs to the Histone Deacetylase/HDAC family and is a component of the Histone Deacetylase complex. HDAC1 interacts with Retinoblastoma tumor-suppressor protein (Rb) and this complex is a key element in the control of cell proliferation and differentiation. Together with Metastasis-Associated Protein-2, it deacetylates p53 and modulates its effect on cell growth and apoptosis.
Form	Liquid in 25 mM Tris-HCl, pH 8.0 + 130 mM NaCl + 0.05% Tween-20 + 10% Glycerol.
Molecular Weight	56 kDa
Applications	Enzyme kinetics; Screening inhibitors; Selectivity profiling. The optimal concentration should be determined by the user for each specific application.
Storage	Stable for 6 months in working aliquots at -80°C. Avoid repeated freeze-thaw cycles.
Official Symbol	HDAC1

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

GENE INFORMATION

Gene Name	HDAC1 histone deacetylase 1 [Homosapiens]
Synonyms	HDAC1; histone deacetylase 1; DKFZp686H12203;GON-10; HD1; RPD3; RPD3L1; OTTHUMP00000008745; reduced potassium dependency,yeast homolog-like 1; DKFZp686H12203; EC 3.5.1.98
Gene ID	3065
mRNA Refseq	NM_004964
Protein Refseq	NP_004955
MIM	601241
UniProt ID	Q13547
Chromosome Location	1p34
Pathway	Androgen Receptor Signaling Pathway; CellCycle; Chronic myeloid leukemia; Delta-Notch Signaling Pathway; E2Ftranscription factor network; EGFR1 Signaling Pathway; Energy Metabolism; G0and Early G1; Glucocorticoid receptor regulatory network; Hedgehog signalingevents mediated by Gli proteins; Hemostasis; Huntington"s disease; IL-6Signaling Pathway; Mitotic G1-G1/S phases; Notch signaling pathway
Function	enzyme binding; histonedeacetylase activity; hydrolase activity; identical protein binding;transcription activator activity; transcription factor activity;transcription factor binding; transcription factor binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA