

Recombinant Human HDAC2, GST-tagged

Cat. No. HDAC2-13706H Lot. No. (See product label)

SPECIFICATION

Product Overview Recombinant Human HDAC2 protein, fused to GST-tag, was expressed in E.coli and purified by GSH-sepharose.

Species Human

Source E.coli

ProteinLength C-term-299a.a.

Description This gene product belongs to the histone deacetylase family. Histone deacetylases act via the formation of large multiprotein complexes, and are responsible for the deacetylation of lysine residues at the N-terminal regions of core histones (H2A, H2B, H3 and H4). This protein forms transcriptional repressor complexes by associating with many different proteins, including YY1, a mammalian zinc-finger transcription factor. Thus, it plays an important role in transcriptional regulation, cell cycle progression and developmental events. Alternative splicing results in multiple transcript variants.

Storage The protein is stored in PBS buffer at -20°C. Avoid repeated freezing and thawing cycles.

Storage Buffer 1M PBS (58mM Na₂HPO₄, 17mM NaH₂PO₄, 68mM NaCl, pH8.) added with 100mM GSH and 1% Triton X-100, 15% glycerol.

GENE INFORMATION

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Gene Name	HDAC2 histone deacetylase 2 [Homo sapiens]
Official Symbol	HDAC2
Synonyms	HDAC2; histone deacetylase 2; RPD3; YAF1; YY1-associated factor 1; transcriptional regulator homolog RPD3; HD2;
Gene ID	3066
mRNA Refseq	NM_001527
Protein Refseq	NP_001518
MIM	605164
UniProt ID	Q92769
Chromosome Location	6q21
Pathway	Cell cycle, organism-specific biosystem; Cell cycle, organism-specific biosystem; Cell cycle, conserved biosystem; Chronic myeloid leukemia, organism-specific biosystem; Chronic myeloid leukemia, conserved biosystem; Delta-Notch Signaling Pathway, organism-specific biosystem; Direct p53 effectors, organism-specific biosystem;
Function	NAD-dependent histone deacetylase activity (H3-K14 specific); NAD-dependent histone deacetylase activity (H3-K9 specific); NAD-dependent histone deacetylase activity (H4-K16 specific); chromatin binding; enzyme binding; histone deacetylase activity; histo

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA