

Recombinant Human HDAC4, His-tagged

Cat. No. HDAC4-13708H Lot. No. (See product label)

SPECIFICATION

Product Overview Recombinant Human HDAC4 protein, fused to His-tag, was expressed in E.coli and purified by Ni-sepharose.

Species Human

Source E.coli

ProteinLength 623-972a.a.

Description Histones play a critical role in transcriptional regulation, cell cycle progression, and developmental events. Histone acetylation/deacetylation alters chromosome structure and affects transcription factor access to DNA. The protein encoded by this gene belongs to class II of the histone deacetylase/acuc/apha family. It possesses histone deacetylase activity and represses transcription when tethered to a promoter. This protein does not bind DNA directly, but through transcription factors MEF2C and MEF2D. It seems to interact in a multiprotein complex with RbAp48 and HDAC3.

Source E.coli

Species Human

Tag His

Storage The protein is stored in PBS buffer at -20°C. Avoid repeated freezing and thawing cycles.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage Buffer 1M PBS (58mM Na₂HPO₄, 17mM NaH₂PO₄, 68mM NaCl, pH8.) added with 300mM Imidazole and 0.7% Sarcosyl, 15% glycerol.

GENE INFORMATION

Gene Name HDAC4 histone deacetylase 4 [Homo sapiens]

Official Symbol HDAC4

Synonyms HDAC4; histone deacetylase 4; HA6116; HD4; HDAC 4; HDAC A; HDACA; KIAA0288; histone deacetylase A; AHO3; BDMR; HDAC-4; HDAC-A;

Gene ID 9759

mRNA Refseq NM_006037

Protein Refseq NP_006028

MIM 605314

UniProt ID P56524

Chromosome Location 2q37.3

Pathway Cell cycle, organism-specific biosystem; Endochondral Ossification, organism-specific biosystem; MicroRNAs in cardiomyocyte hypertrophy, organism-specific biosystem; NOTCH1 Intracellular Domain Regulates Transcription, organism-specific biosystem; Signal Transduction, organism-specific biosystem; Signaling by NOTCH, organism-specific biosystem; Signaling by NOTCH1, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

NAD-dependent histone deacetylase activity (H3-K14 specific); NAD-dependent histone deacetylase activity (H3-K9 specific); NAD-dependent histone deacetylase activity (H4-K16 specific); activating transcription factor binding; histone deacetylase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA