

Active Recombinant Full Length Human HDAC4 Protein, C-Flag-tagged

Cat. No. HDAC4-256HFL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Full Length Human HDAC4 Protein, fused to Flag-tag at C-terminus, was expressed in Mammalian cells.
Species	Human
Source	Mammalian Cells
Description	Histones play a critical role in transcriptional regulation, cell cycle progression, and developmental events. Histone acetylation/deacetylation alters chromosome structure and affects transcription factor access to DNA. The protein encoded by this gene belongs to class II of the histone deacetylase/acuc/apha family. It possesses histone deacetylase activity and represses transcription when tethered to a promoter. This protein does not bind DNA directly, but through transcription factors MEF2C and MEF2D. It seems to interact in a multiprotein complex with RbAp48 and HDAC3.
Form	25 mM Tris HCl, pH 7.3, 100 mM glycine, 10% glycerol.
Bio-activity	Enzyme substrate
Molecular Mass	118.9 kDa
AA Sequence	MSSQSHPDGLSGRDQPVELLNPARVNHMPSTVDVATALPLQVAPSAVPMDLRLDH QFSLPVAEPALREQQ LQELLALKKQKQIQRQILIAEFQRQHEQLSRQHEAQLHEHI KQQQEMLAMKHQQELLEHQRKLERHRQE QELEKQHREQKLQQLKNKEKGKESAV

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

ASTEVKMKLQEFVLNKKKALAHRLNLNHCISSDPRYWYGKTQHSS LDQSSPPQSGV
 STSYNHPVLGMYDAKDDFPLRKTASEPNLKLRSRLKQKVAERRSSPLLRRKDGPVV
 TAL KKRPLDVTDSACSSAPGSGPSSPNSSGSVSAENGIAPAVPSIPAETSLAHLRV
 AREGSAAPLPLYTSPS LPNITLGLPATGPSAGTAGQQDAERLTLPALQQRLSLFPGT
 HLTPYLSTSPLERDGGAAHSPLLQHMVLL EQPPAQAPLVTGLGALPLHAQSLVGAD
 RVSPSIHKLRQHRPLGRTQSAPLPQNAQALQHLVIQQQHQQFL EKHKQQFQQQQL
 QMNKIIPKPSEPARQPESHPEETEEELREHQALLDEPYLDRLPGQKEAHAQAGVQV
 KQ EPIESDEEEAEPPEVEPGQRQPSEQELLFRQQALLLEQQRIHQLRNYQASMEA
 AGIPVSFGGHRPLSRA QSSPASATFPVSVQEPPTKPRFTTGLVYDTLMLKHQCTCG
 SSSSHPEHAGRIQSIWSRLQETGLRGKCEC IRGRKATLEELQTVHSEAHTLLYGTNP
 LNRQKLDISKLLGSLASVFRVRLPCGGVGVSDTIWNEVHSAGA ARLAVGCVVELVF
 KVATGELKNGFAVVRPPGHAEESTPMGFCYFNSVAVAAKLLQQRLSVSKILIVDWD
 VHHGNGTQQAFYS DPSVLYMSLHRYDDGNFFPGSGAPDEVGTGPGVGFNVNMAF
 TGGLDPPMGDAEYLAA FRTVVMPIASEFAPDVVLVSSGFDAVEGHPTPLGGYNLSA
 RCFGYLTQQLMGLAGGRIVLALEGGHDLTA ICDASEACVSALLGNELDPLPEKVLQQ
 RPNANAVRSMEKVMIEHISKYWRCLQRTTSTAGRSLIEAQTEN
 EEAETVTAMASLSVGVKPAEKRPDEEPMEEEPPLTRTRPLEQKLISEEDLAANDILDY
 KDDDDKV

Purity	> 80% as determined by SDS-PAGE and Coomassie blue staining.
Stability	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
Storage	Store at -80 centigrade.
Concentration	>50 ug/mL as determined by microplate BCA method.
Preparation	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Families Druggable Genome, Transcription Factors

Full Length Full L.

GENE INFORMATION

Gene Name HDAC4 histone deacetylase 4 [Homo sapiens (human)]

Official Symbol HDAC4

Synonyms HD4; AHO3; BDMR; HDACA; HA6116; HDAC-4; HDAC-A; NEDCHF; NEDCHID

Gene ID 9759

mRNA Refseq NM_006037.4

Protein Refseq NP_006028.2


MIM 605314

UniProt ID P56524

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Coomassie blue staining of purified HDAC4 protein.

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA