

Recombinant Human hepatocyte growth factor Protein, Flag tagged

Cat. No. HGF-142H **Lot. No.** (See product label)

SPECIFICATION

| | |
|-------------------------|--|
| Product Overview | Recombinant human HGF protein (P14210) (Gln 32-Ser 728) with a Flag tag at the C-terminus was expressed in HEK293. |
| Species | Human |
| Source | HEK293 |
| ProteinLength | 32-728aa |

Description

HGF, also known as scatter factor and hepatopoietin A, is a pleiotropic protein in the plasminogen subfamily of S1 peptidases. It is a multidomain molecule that includes an N-terminal PAN/APPLE-like domain, four Kringle domains, and a serine proteinase-like domain that has no detectable protease activity. Human HGF is secreted as an inactive 728 amino acid (aa) single chain propeptide. It is cleaved after the fourth Kringle domain by a serine protease to form bioactive disulfide-linked HGF with a 60 kDa alpha and 30 kDa beta chain. Alternate splicing generates human HGF isoforms that lack the proteinase-like domain and different numbers of the Kringle domains. Human HGF shares 91%-94% aa sequence identity with bovine, canine, feline, mouse, and rat HGF. HGF binds heparan-sulfate proteoglycans and the widely expressed receptor tyrosine kinase, HGF R/c-MET. HGF-dependent c-MET activation is implicated in the development of many human cancers. HGF regulates epithelial morph.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

| | |
|-----------------------|---|
| Tag | C-Flag |
| Molecular Mass | 81.3 kDa |
| Endotoxin | Less than 1.0 EU/μg by the LAL method. |
| Purity | >90% as determined by SDS-PAGE. |
| Storage | Please avoid repeated freeze-thaw cycles. Samples are stable for up to twelve months from date of receipt at -20 to -80 centigrade. It is recommended that aliquot the reconstituted solution to minimize freeze-thaw cycles. |
| Storage Buffer | Lyophilized from a 0.2 μm filtered solution of PBS, pH7.4, 5% Trehalose, 5% mannitol. |
| Reconstitution | Reconstitute at 250 μg/mL in sterile water. |

GENE INFORMATION

| | |
|------------------------|---|
| Gene Name | HGF hepatocyte growth factor [Homo sapiens (human)] |
| Official Symbol | HGF |
| Synonyms | HGF; hepatocyte growth factor (hepapoietin A; scatter factor); deafness, autosomal recessive 39, DFNB39; hepatocyte growth factor; F TCF; fibroblast derived tumor cytotoxic factor; hepatopoietin A; HGFB; HPTA; lung fibroblast derived mitogen; scatter factor; SF; hepatopoeitin-A; hepatopoietin-A; lung fibroblast-derived mitogen; fibroblast-derived tumor cytotoxic factor; F-TCF; DFNB39; |
| Gene ID | 3082 |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA


mRNA Refseq [NM_000601](#)

Protein Refseq [NP_000592](#)

MIM [142409](#)

UniProt ID [P14210](#)

Protein on SDS-PAGE under reducing (R) condition.



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA