

Recombinant Human HIF1A cell lysate

Cat. No. HIF1A-787HCL Lot. No. (See product label)

SPECIFICATION

Species

Human

Description

Hypoxia-inducible factor-1 (HIF1) is a transcription factor found in mammalian cells cultured under reduced oxygen tension that plays an essential role in cellular and systemic homeostatic responses to hypoxia. HIF1 is a heterodimer composed of an alpha subunit and a beta subunit. The beta subunit has been identified as the aryl hydrocarbon receptor nuclear translocator (ARNT). This gene encodes the alpha subunit of HIF-1. Overexpression of a natural antisense transcript (aHIF) of this gene has been shown to be associated with nonpapillary renal carcinomas. Two alternative transcripts encoding different isoforms have been identified.

Size

100 ul

Storage Buffer

1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Applications

Western Blot;

GENE INFORMATION

Gene Name


HIF1A hypoxia inducible factor 1, alpha subunit (basic helix-loop-helix transcription factor) [Homo sapiens]

Official Symbol

HIF1A

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Synonyms	HIF1A; hypoxia inducible factor 1, alpha subunit (basic helix-loop-helix transcription factor); hypoxia-inducible factor 1-alpha; bHLHe78; HIF 1alpha; HIF1; MOP1; PASD8; HIF-1-alpha; member of PAS protein 1; ARNT interacting protein; ARNT-interacting protein; member of PAS superfamily 1; PAS domain-containing protein 8; basic-helix-loop-helix-PAS protein MOP1; class E basic helix-loop-helix protein 78; hypoxia-inducible factor 1 alpha isoform I.3; hypoxia-inducible factor 1, alpha subunit (basic helix-loop-helix transcription factor); HIF-1alpha; HIF1-ALPHA;
Gene ID	3091
mRNA Refseq	NM_001243084
Protein Refseq	NP_001230013
MIM	603348
UniProt ID	Q16665
Chromosome Location	14q23.2
Pathway	Adipogenesis, organism-specific biosystem; Angiogenesis, organism-specific biosystem; Circadian Clock, organism-specific biosystem; HIF-1-alpha transcription factor network, organism-specific biosystem; Hypoxic and oxygen homeostasis regulation of HIF-1-alpha, organism-specific biosystem; NOTCH1 Intracellular Domain Regulates Transcription, organism-specific biosystem; Notch-mediated HES/HEY network, organism-specific biosystem;
Function	Hsp90 protein binding; histone acetyltransferase binding; histone deacetylase binding; protein binding; protein heterodimerization activity; protein heterodimerization activity; protein kinase binding; contributes_to sequence-specific DNA binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



sequence-specific DNA binding transcription factor activity; sequence-specific DNA binding transcription factor activity; sequence-specific distal enhancer binding RNA polymerase II transcription factor activity; contributes_to sequence-specific distal enhancer binding RNA polymerase II transcription factor activity; signal transducer activity; transcription factor binding; transcription regulatory region DNA binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA