

Recombinant Human HNF4A 293 Cell Lysate

Cat. No. HNF4A-5457HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for hepatocyte nuclear factor 4, alpha (HNF4A), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	HNF4A hepatocyte nuclear factor 4, alpha [Homo sapiens]
Official Symbol	HNF4A
Synonyms	HNF4A; hepatocyte nuclear factor 4, alpha; MODY, MODY1, TCF14; hepatocyte nuclear factor 4-alpha; HNF4; NR2A1; TCF-14; HNF-4-alpha; HNF4alpha10/11/12; transcription factor 14; transcription factor-14; transcription factor HNF-4; hepatic nuclear factor 4 alpha; nuclear receptor subfamily 2 group A member 1; TCF; MODY; MODY1; TCF14; HNF4a7; HNF4a8; HNF4a9; NR2A21; HNF4alpha; FLJ39654;
Gene ID	3172
mRNA Refseq	NM_178849
Protein Refseq	NP_849180
MIM	600281
UniProt ID	P41235
Chromosome Location	20q13.12
Pathway	Developmental Biology, organism-specific biosystem; FOXA2 and FOXA3 transcription factor networks, organism-specific biosystem; Gene Expression, organism-specific biosystem; Generic Transcription Pathway, organism-specific biosystem; HIF-1-alpha transcription factor network, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Maturity onset diabetes of the young, organism-specific biosystem; Maturity onset diabetes of the young, conserved biosystem;

Function

DNA binding; RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of transcription; activating transcription factor binding; fatty acid binding; fatty-acyl-CoA binding; ligand-activated sequence-specific DNA binding RNA polymerase II transcription factor activity; metal ion binding; palmitoyl-CoA hydrolase activity; protein binding; protein homodimerization activity; receptor activity; receptor binding; repressing transcription factor binding; sequence-specific DNA binding; sequence-specific DNA binding transcription factor activity; sequence-specific distal enhancer binding RNA polymerase II transcription factor activity; steroid hormone receptor activity; transcription regulatory region DNA binding; zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA