

Recombinant Human HSD17B4 protein, MYC/DDK-tagged

Cat. No. HSD17B4-110H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human HSD17B4 fused with MYC/DDK tag at C-terminal was expressed in HEK293.
Species	Human
Source	HEK293
Description	The protein encoded by this gene is a bifunctional enzyme that is involved in the peroxisomal beta-oxidation pathway for fatty acids. It also acts as a catalyst for the formation of 3-ketoacyl-CoA intermediates from both straight-chain and 2-methyl-branched-chain fatty acids. Defects in this gene that affect the peroxisomal fatty acid beta-oxidation activity are a cause of D-bifunctional protein deficiency (DBPD). An apparent pseudogene of this gene is present on chromosome 8.
Form	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10% glycerol.
Molecular Mass	79.5 kDa
Purity	> 80% as determined by SDS-PAGE and Coomassie blue staining

GENE INFORMATION

Gene Name	HSD17B4 hydroxysteroid (17-beta) dehydrogenase 4 [Homo sapiens]
Official Symbol	HSD17B4

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Synonyms	HSD17B4; hydroxysteroid (17-beta) dehydrogenase 4; peroxisomal multifunctional enzyme type 2; 3 alpha; 7 alpha; 12 alpha trihydroxy 5 beta cholest 24 enoyl CoA hydratase; 17 beta HSD IV; 17 beta hydroxysteroid dehydrogenase 4; 17beta estradiol dehydrogenase type IV; beta hydroxyacyl dehydrogenase; beta keto reductase; D 3 hydroxyacyl CoA dehydratase; D bifunctional protein; peroxisomal; DBP; MFE 2; peroxisomal multifunctional protein 2; SDR8C1; short chain dehydrogenase/reductase family 8C; member 1; 17-beta-HSD 4; 17-beta-HSD IV; beta-keto-reductase; multifunctional protein 2; beta-hydroxyacyl dehydrogenase; D-3-hydroxyacyl-CoA dehydratase; D-bifunctional protein, peroxisomal; 17-beta-hydroxysteroid dehydrogenase 4; 17beta-estradiol dehydrogenase type IV; short chain dehydrogenase/reductase family 8C, member 1; 3-alpha,7-alpha,12-alpha-trihydroxy-5-beta-cholest-24-enoyl-CoA hydratase; MFE-2; MPF-2;
Gene ID	3295
mRNA Refseq	NM_000414
Protein Refseq	NP_000405
MIM	601860
UniProt ID	P51659
Chromosome Location	5q2
Pathway	Beta-oxidation of pristanoyl-CoA, organism-specific biosystem; Beta-oxidation of very long chain fatty acids, organism-specific biosystem; Bile acid and bile salt metabolism, organism-specific biosystem; Bile acid biosynthesis, cholesterol => cholate, organism-specific biosystem; Bile acid biosynthesis, cholesterol => cholate, conserved biosystem;

 Tel: 1-631-559-9269 1-516-512-3133


 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

3-hydroxyacyl-CoA dehydrogenase activity; 3alpha,7alpha,12alpha-trihydroxy-5beta-cholest-24-enoyl-CoA hydratase activity; estradiol 17-beta-dehydrogenase activity; isomerase activity; long-chain-enoyl-CoA hydratase activity; lyase activity; nucleotide binding; oxidoreductase activity; sterol binding; sterol transporter activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA