

Recombinant Human HtrA1, His-tagged

Cat. No. HtrA1-2890H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human HtrA1 is expressed in insect cells with a C-terminal His-tag and purified from insect cell culture supernatants. The calculated Mr of secreted HtrA1 is 50 kDa.
Species	Human
Source	Insect Cells
Description	<p>Secreted human HtrA1 serine protease is supposed to form oligomers of identical protein chains as revealed by X-ray analysis for the bacterial HtrA protein DegP. Polypeptide chains of human HtrA1 consist of several domains: An N-terminal insulin-like growth factor domain is followed by a Kazal-type serine protease inhibitor domain, a linker region, a trypsin-like protease domain and a PDZ domain. The function of HtrA1 appears closely linked to signaling by proteins of the TGFs family. During mouse embryo development HtrA1 is localized in specific areas where signaling by TGFs family proteins occurs. HtrA1 binds TGFs, BMP4, Gdf5 and activin. It inhibits signaling by these factors. For inhibition serine protease activity of HtrA1 is essential.</p>
Form	HtrA1 is solublized in 150 mM NaCl, 5 mM CaCl ₂ , 0.05 % Brij-35, 50 mM imidazol, 50 mM Tris-HCl, pH 7.5.
Purity	Recombinant HtrA1 appears as a major protein of about 53 kDa in SDS-PAGE (> 70 % of total protein). Minor bands of HtrA1 fragments may be visible in the enzyme

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

preparation.

Enzymatic Activity

Proteolytic activity of recombinant human HtrA1 is documented by digestion of β casein. 0.5 mg β -casein/ml are completely digested by 5 μ g/ml HtrA1 within 3 hours at 37°C.

Applications

Recombinant HtrA1 allows detailed studies of the structure and function of this protease. The enzyme is used to screen for inhibitors and to characterize inhibitor actions. Recombinant HtrA1 can also serve as standard in enzymatic and immunochemical assays.

Stability And Storage

Recombinant human HtrA1 is stable until the expiry date given on the label when stored at -70°C. Repeated freezing and thawing should be avoided.

GENE INFORMATION

Gene Name

[HTRA1 HtrA serine peptidase 1 \[Homo sapiens \]](#)

Synonyms

HTRA1; HtrA serine peptidase 1; L56; HtrA; ARMD7; ORF480; PRSS11; serine protease HTRA1; IGFBP5-protease; protease, serine, 11 (IGF binding); HTRA; Serine protease 11; EC 3.4.21.-

Gene ID

[5654](#)

mRNA Refseq

[NM_002775](#)

Protein Refseq

[NP_002766](#)

MIM

[602194](#)

UniProt ID

[Q92743](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Chromosome Location	10q26.3
Function	insulin-like growth factor binding; peptidase activity; serine-type endopeptidase activity

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA