

Recombinant Human ICAM2 Protein, MYC/DDK-tagged

Cat. No. ICAM2-797H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant human ICAM2 protein, fused to MYC/DDK tag at C-terminus, was expressed in HEK293.
Species	Human
Source	HEK293
Description	<p>The protein encoded by this gene is a member of the intercellular adhesion molecule (ICAM) family. All ICAM proteins are type I transmembrane glycoproteins, contain 2-9 immunoglobulin-like C2-type domains, and bind to the leukocyte adhesion LFA-1 protein. This protein may play a role in lymphocyte recirculation by blocking LFA-1-dependent cell adhesion. It mediates adhesive interactions important for antigen-specific immune response, NK-cell mediated clearance, lymphocyte recirculation, and other cellular interactions important for immune response and surveillance. Several transcript variants encoding the same protein have been found for this gene. [provided by RefSeq, Jul 2008].</p>
Form	25 mM Tris.HCl, pH 7.3, 100 mM glycine, 10 % glycerol.
Molecular Mass	28.3 kDa
Purity	> 80% as determined by SDS-PAGE and Coomassie blue staining
Concentration	>50 ug/mL as determined by microplate BCA method

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



GENE INFORMATION

Gene Name intercellular adhesion molecule 2[Homo sapiens]

Official Symbol ICAM2

Synonyms CD102; CD102

Gene ID 3384

mRNA Refseq NM_000873.3

Protein Refseq NP_001093257

MIM 146630

UniProt ID P13598

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA