

## Active Recombinant Human ICAM3 protein, His-tagged

Cat. No. ICAM3-3164H Lot. No. (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant Human ICAM3 protein(CAA49369.1)(Met1-His485), fused with His tag, was expressed in HEK293.
<b>Species</b>	Human
<b>Source</b>	HEK293
<b>ProteinLength</b>	Met1-His485
<b>Form</b>	Lyophilized from sterile PBS, pH 7.5Please contact us for any concerns or special requirements. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the hard copy of CoA.
<b>Bio-activity</b>	Measured by the ability of the immobilized protein to support the adhesion of PMA-stimulated HSB2 human peripheral blood acute lymphoblastic leukemia cells.When cells are added to ICAM3-coated plates (12.5 µg/mL , 100 µL/well), approximately >25% cells will adhere specifically.
<b>Molecular Mass</b>	The recombinant human ICAM3 consists of 467 amino acids after removal of the signal peptide and predicts a molecular mass of 50.8 kDa. By SDS-PAGE, the apparent molecular mass of rh ICAM3 is approximately 100-120 kDa due to the glycosylation.
<b>Endotoxin</b>	< 1.0 EU per µg of the protein as determined by the LAL method

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Purity</b>	> 92 % as determined by SDS-PAGE
<b>Storage</b>	Samples are stable for up to twelve months from date of receipt at -20°C to -80°C. Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
<b>Reconstitution</b>	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.

## GENE INFORMATION

<b>Gene Name</b>	ICAM3 intercellular adhesion molecule 3 [ Homo sapiens ]
<b>Official Symbol</b>	ICAM3
<b>Synonyms</b>	ICAM3; intercellular adhesion molecule 3; CD50; CDW50; ICAM R; ICAM-3; intercellular adhesion molecule-3; ICAM-R;
<b>Gene ID</b>	3385
<b>mRNA Refseq</b>	NM_002162
<b>Protein Refseq</b>	NP_002153
<b>MIM</b>	146631
<b>UniProt ID</b>	P32942

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA