

Recombinant Human ID1 293 Cell Lysate

Cat. No. ID1-5312HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for inhibitor of DNA binding 1, dominant negative helix-loop-helix protein (ID1), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	ID1 inhibitor of DNA binding 1, dominant negative helix-loop-helix protein [Homo sapiens]
Official Symbol	ID1
Synonyms	ID1; inhibitor of DNA binding 1, dominant negative helix-loop-helix protein; DNA-binding protein inhibitor ID-1; bHLHb24; dJ857M17.1.2; DNA binding protein inhibitor ID 1; inhibitor of differentiation 1; class B basic helix-loop-helix protein 24; dJ857M17.1.2 (inhibitor of DNA binding 1, dominant negative helix-loop-helix protein); ID;
Gene ID	3397
mRNA Refseq	NM_002165
Protein Refseq	NP_002156
MIM	600349
UniProt ID	P41134
Chromosome Location	20q11
Pathway	ALK1 signaling events, organism-specific biosystem; IL-3 Signaling Pathway, organism-specific biosystem; Id Signaling Pathway, organism-specific biosystem; Notch-mediated HES/HEY network, organism-specific biosystem; TGF-beta signaling

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



pathway, organism-specific biosystem; TGF-beta signaling pathway, conserved biosystem;

Function

protein binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA