

Recombinant Human IFT88 293 Cell Lysate

Cat. No. IFT88-5271HCL **Lot. No.** (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for intraflagellar transport 88 homolog (Chlamydomonas) (IFT88), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name IFT88 intraflagellar transport 88 homolog (Chlamydomonas) [Homo sapiens]

Official Symbol IFT88

Synonyms IFT88; intraflagellar transport 88 homolog (Chlamydomonas); tetratricopeptide repeat domain 10 , TTC10; intraflagellar transport protein 88 homolog; D13S1056E; hTg737; MGC26259; polaris homolog; Tg737; TPR repeat protein 10; tetratricopeptide repeat domain 10; tetratricopeptide repeat protein 10; recessive polycystic kidney disease protein Tg737 homolog; probe hTg737 (polycystic kidney disease, autosomal recessive); DAF19; TG737; TTC10; RP11-172H24.2;

Gene ID 8100

mRNA Refseq NM_006531

Protein Refseq NP_006522

MIM 600595

UniProt ID Q13099

Chromosome Location 13q12.1

Pathway Endochondral Ossification, organism-specific biosystem; Hedgehog signaling events mediated by Gli proteins, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA