

## Active Recombinant Human IGF2R, His-tagged

**Cat. No.** IGF2R-611H    **Lot. No.** (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant Human IGF2R (Ser1510Phe2108) fused with a Cterminal and 6His tag, was expressed in Mouse NSO Cells.
<b>Species</b>	Human
<b>Source</b>	Mammalian Cells
<b>Description</b>	The protein encoded by this gene is a receptor for both, insulin-like growth factor 2 (IGF2) and mannose 6-phosphate (M6P). The IGF2 and M6P binding sites are located on different segments of the receptor. This receptor functions in the intracellular trafficking of lysosomal enzymes, the activation of transforming growth factor beta, and the degradation of IGF2. While the mouse Igf2r gene shows exclusive expression from the maternal allele, imprinting of the human IGF2R gene appears to be polymorphic, with only a minority of individuals showing expression from the maternal allele.
<b>Molecular Mass</b>	The predicted molecular mass is 67 kDa. The apparent molecular mass of this protein is approximately 80-83 kDa in SDS-PAGE under reducing conditions.
<b>Predicted N terminal</b>	Ser1510
<b>Formulation</b>	Lyophilized from a 0.2 µm filtered solution in PBS.
<b>Purity</b>	>90% as determined by SDSPAGE

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Activity</b>	Measured by its binding ability in a functional ELISA. Immobilized rhIGFII R at 2 g/mL (100 µ/well) can bind rhIGFII with a linear range of 2100 ng/mL.
<b>EndotoxinLevel</b>	<1.0 EU per 1 µg of the protein by the LAL method.
<b>Storage</b>	12 months from date of receipt, 20 to 70 °C as supplied. Avoid repeated freezethaw cycles.
<b>OfficialSymbol</b>	IGF2R

## GENE INFORMATION

<b>Gene Name</b>	<a href="#">IGF2R insulin-like growth factor 2 receptor [ Homo sapiens ]</a>
<b>Synonyms</b>	IGF2R; insulin-like growth factor 2 receptor; cation-independent mannose-6-phosphate receptor; cation independent mannose 6 phosphate receptor; CD222; CIMPR; M6PR; MPR1; MPRI
<b>Gene ID</b>	<a href="#">3482</a>
<b>mRNA Refseq</b>	<a href="#">NM_000876</a>
<b>Protein Refseq</b>	<a href="#">NP_000867</a>
<b>MIM</b>	<a href="#">147280</a>
<b>UniProt ID</b>	<a href="#">P11717</a>
<b>Chromosome Location</b>	6q26

 Tel: 1-631-559-9269 1-516-512-3133


 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

**Pathway** Clathrin derived vesicle budding; Golgi Associated Vesicle Biogenesis; Lysosome; Membrane Trafficking

**Function** glycoprotein binding; insulin-like growth factor binding; insulin-like growth factor-activated receptor activity; mannose binding; phosphoprotein binding

**PDBrendering based on 1e6f.**



 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA