

Recombinant Human Interleukin-11

Cat. No. IL11-19H Lot. No. (See product label)

SPECIFICATION

Product Overview The protein is produced in *P. Pichiaby* recombinant DNA technology. The protein has a molecular mass of approximately 19,000 Daltons and is non-glycosylated. The protein is 177 amino acids in length and differs from the 178 amino acid length of native IL-11 only in lacking the amino-terminal praline residue.

Species Human

Source Yeast


Description IL-11 is a thrombopoietic growth factor that directly stimulates the proliferation of hematopoietic stem cells and megakaryocyte progenitor cells and induces megakaryocyte maturation resulting in increased platelet production. IL-11 is a member of a family of human growth factors which includes human growth hormone, granulocyte colony-stimulating factor and other growth factors.

Purity >95% as determined by SDS-PAGE and SEC-HPLC.


Formulation The protein was lyophilized from a concentrated (1mg/ml) solution with no additives.

Specific Activity The ED50 as determined by the dose-dependant stimulation of the proliferation of murine 7TD1 was found to be less than 0.2ng/ml, corresponding to a Specific Activity of 8.0×10^6 IU/ mg.

Endotoxin Less than 2ng/mg (2IEU/mg) determined by LAL test.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Reconstitution It is recommended to reconstitute the lyophilized rHuIL-11 in sterile 18MΩ-cm H₂O not less than 100g/ml, which can then be further diluted to other aqueous solutions.

Storage Lyophilized rHuIL-11 although stable at room temperature for 3 weeks, should be stored desiccated below -18°C. Upon reconstitution rHuIL-11 should be stored at 4°C between 2-7 days and for future use below -18°C. For long-term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Aliquot to avoid repeated freeze-thaw cycles.

GENE INFORMATION

Gene Name IL11

Synonyms AGIF; IL-11; Adipogenesis inhibitory factor, Oprelvekin, Interleukin-11; IL11; interleukin 11

Gene ID 3589

mRNA Refseq NM_000641

Protein Refseq NP_000632

MIM 147681

UniProt ID P20809

Chromosome Location 19q13.3-q13.4

Pathway Cytokine-cytokine receptor interaction; Hematopoietic cell lineage; Jak-STAT signaling pathway

 Tel: 1-631-559-9269 1-516-512-3133


 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

cytokine activity, interleukin-11 receptor binding activity

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA