

## Active Recombinant Human IL12B protein, Fc-tagged

Cat. No. IL12B-1608H Lot. No. (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant Human IL12B protein(Ile23-Ser328), fused with Fc tag, was expressed in HEK293.
<b>Species</b>	Human
<b>Source</b>	HEK293
<b>ProteinLength</b>	23-328 a.a.
<b>Form</b>	Lyophilized from 0.22 µm filtered solution in Tris with Glycine, Arginine and NaCl, pH7.5.
<b>Bio-activity</b>	Immobilized Human IL-12 R beta 1, His Tag at 2 µg/mL (100 µL/well) can bind Human IL-12B, Fc Tag with a linear range of 0.039-0.625 µg/mL.
<b>Molecular Mass</b>	This protein carries a human IgG1 Fc tag at the C-terminus. The protein has a calculated MW of 61.3 kDa. The protein migrates as 66-76 kDa under reducing (R) condition (SDS-PAGE) due to glycosylation.
<b>Proteinlength</b>	Ile23-Ser328
<b>Endotoxin</b>	Less than 1.0 EU per µg by the LAL method.
<b>Purity</b>	>95% as determined by SDS-PAGE.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

**Storage** For long term, the product should be stored at lyophilized state at -20°C or lower. Please avoid repeated freeze-thaw cycles. This product is stable after at: -20°C to -70°C for 12 months in lyophilized state; -70°C for 3 months under sterile conditions after reconstitution.

**Reconstitution** It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.

## GENE INFORMATION

**Gene Name** [IL12B interleukin 12B \(natural killer cell stimulatory factor 2, cytotoxic lymphocyte maturation factor 2, p40\) \[ Homo sapiens \]](#)

**Official Symbol** [IL12B](#)

**Synonyms** IL12B; interleukin 12B (natural killer cell stimulatory factor 2, cytotoxic lymphocyte maturation factor 2, p40); NKSF2; interleukin-12 subunit beta; CLMF; CLMF2; cytotoxic lymphocyte maturation factor 2; p40; IL 12B; IL12; subunit p40; interleukin 12; interleukin 12 beta chain; natural killer cell stimulatory factor; 40 kD subunit; natural killer cell stimulatory factor 2; NKSF; CLMF p40; IL-12 subunit p40; IL12, subunit p40; interleukin 12, p40; interleukin-12 beta chain; NK cell stimulatory factor chain 2; cytotoxic lymphocyte maturation factor 40 kDa subunit; natural killer cell stimulatory factor, 40 kD subunit; IL-12B;

**Gene ID** [3593](#)

**mRNA Refseq** [NM\\_002187](#)

**Protein Refseq** [NP\\_002178](#)

**MIM** [161561](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



UniProt ID

P29460

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA