

Active Recombinant Human IL12B Protein (Ile1-Cys327), C-His tagged, Animal-free, Carrier-free

Cat. No. IL12B-178H Lot. No. (See product label)

SPECIFICATION

| | |
|-------------------------|---|
| Product Overview | Recombinant Human IL12B Protein (Ile1-Cys327) with C-His tag was expressed in HEK293 and Animal-free as well as Carrier-free. |
| Species | Human |
| Source | HEK293 |
| ProteinLength | Ile1-Cys327 |
| Description | Interleukin 12 p70 (IL-12 p70) is an interleukin which is major secreted from immune cells like dendritic cells, macrophages and neutrophils. IL-12 p70 is a 58.5 kDa protein containing 527 amino acid residues which is composed by two subunits (IL-12 p35 and IL-12 p40). IL-12 p70 induces the cytotoxic activity of immune cells like NK cells and T cells. IL-12 p70 binds its receptor (IL-12R β 1 and IL-12R β 2) that activates the Jak/STAT signaling pathway. IL-12 p70 also plays an important role in cancer model which inhibits the formation of new blood vessels through the production of IFN γ . |
| Form | Lyophilized |
| Bio-activity | Measure by its ability to induce IFN gamma secretion in PHA-activated human peripheral blood lymphocytes (PBMC). The ED50 for this effect is 0.05-0.2 ng/mL. |
| Molecular Mass | The protein has a calculated MW of 59.55 kDa. |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

| | |
|-----------------------|---|
| | The protein migrates as 63-75 kDa under reducing condition (SDS-PAGE analysis). |
| Endotoxin | < 0.1 EU/μg of the protein by the LAL method. |
| Purity | >98% as determined by SDS-PAGE analysis. |
| Storage | This product is stable after storage at: -20 centigrade for 12 months in lyophilized state from date of receipt. -20 or -80 centigrade for 1 month under sterile conditions after reconstitution. Avoid repeated freeze/thaw cycles. |
| Storage Buffer | Lyophilized from a 0.2 μm filtered solution of PBS, pH 7.4. |
| Reconstitution | It is recommended to reconstitute the lyophilized protein in sterile H2O to a concentration not less than 200 μg/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved. |
| Shipping | The product is shipped with polar packs. Upon receipt, store it immediately at -20 centigrade or lower for long term storage. |

GENE INFORMATION

| | |
|------------------------|--|
| Gene Name | IL12B interleukin 12B (natural killer cell stimulatory factor 2, cytotoxic lymphocyte maturation factor 2, p40) [Homo sapiens (human)] |
| Official Symbol | IL12B |
| Synonyms | IL12B; interleukin 12B (natural killer cell stimulatory factor 2, cytotoxic lymphocyte maturation factor 2, p40); NKSF2; interleukin-12 subunit beta; CLMF; CLMF2; cytotoxic lymphocyte maturation factor 2; p40; IL 12B; IL12; subunit p40; interleukin 12; interleukin 12 beta chain; natural killer cell stimulatory factor; 40 kD subunit; |

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

natural killer cell stimulatory factor 2; NKSF; CLMF p40; IL-12 subunit p40; IL12, subunit p40; interleukin 12, p40; interleukin-12 beta chain; NK cell stimulatory factor chain 2; cytotoxic lymphocyte maturation factor 40 kDa subunit; natural killer cell stimulatory factor, 40 kD subunit; IL-12B;

Gene ID [3593](#)


mRNA Refseq [NM_002187](#)

Protein Refseq [NP_002178](#)

MIM [161561](#)

UniProt ID [P29460](#)

**SDS-PAGE analysis
of recombinant
human IL-12 (p70).**



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA