

Active Recombinant Human IL13RA2 protein(Met1-Leu342), His&hFc-tagged


Cat. No. IL13RA2-765H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human IL13R α 2 (NP_000631.1) (Met 1-Leu 342) was expressed in HEK293, fused with the C-terminal polyhistidine-tagged Fc region of Human IgG1 at the C-terminus.
Species	Human
Source	HEK293
ProteinLength	Met1-Leu342
Form	Lyophilized from sterile 100mM Glycine, 10mM NaCl, 50mM Tris, pH 7.8. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization.
Bio-activity	Measured by its binding ability in a functional ELISA. Immobilized human IL13R α 2-Fch at 2 μ g/mL (100 μ l/well) can bind biotinylated human IL13, The EC50 of bind biotinylated human IL13 is 4-20 ng/mL.
Molecular Mass	The recombinant human IL13R α 2/Fc is a disulfide-linked homodimeric protein after proteolytic removal of the signal peptide. The reduced monomer consists of 563 amino acids and predicts a molecular mass of 65 kDa. As a result of glycosylation, the rh IL13R α 2/Fc monomer migrates as an approximately 90-100 kDa band in SDS-PAGE under reducing conditions.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Purity	> 75 % as determined by SDS-PAGE
Storage	Samples are stable for up to twelve months from date of receipt at -20°C to -80°C. Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.

GENE INFORMATION

Gene Name	IL13RA2 interleukin 13 receptor, alpha 2 [Homo sapiens]
Official Symbol	IL13RA2
Synonyms	IL13RA2; interleukin 13 receptor, alpha 2; interleukin-13 receptor subunit alpha-2; cancer/testis antigen 19; CD213a2; CT19; IL 13R; IL13BP; IL-13RA2; IL-13R-alpha-2; IL-13R subunit alpha-2; IL-13 receptor subunit alpha-2; interleukin 13 binding protein; interleukin-13-binding protein; interleukin 13 receptor alpha 2 chain; IL-13R; CD213A2;
Gene ID	3598
mRNA Refseq	NM_000640
Protein Refseq	NP_000631
MIM	300130

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



UniProt ID

Q14627

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA