

# Active Recombinant Cynomolgus / Rhesus macaque IL15 protein, His-tagged

**Cat. No.** IL15-0177C    **Lot. No.** (See product label)

## SPECIFICATION

<b>Product Overview</b>	Recombinant Cynomolgus / Rhesus macaque IL15 protein(Asn49-Ser162), fused with His tag, was expressed in HEK293.
<b>Species</b>	Cynomolgus/Rhesus macaque
<b>Source</b>	HEK293
<b>ProteinLength</b>	49-162 a.a.
<b>Form</b>	Lyophilized from 0.22 µm filtered solution in PBS, pH7.4. Normally trehalose is added as protectant before lyophilization.
<b>Bio-activity</b>	Immobilized Human IL-15 R alpha, Fc Tag at 2 µg/mL (100 µL/well) can bind Cynomolgus / Rhesus macaque IL-15, His Tag with a linear range of 1-8 ng/mL. Immobilized Anti-IL-15 Antibody, Human IgG1 at 2 µg/mL (100 µL/well) can bind Cynomolgus / Rhesus macaque IL-15, His Tag with a linear range of 2-16 ng/mL. Immobilized Cynomolgus / Rhesus macaque IL-15, His Tag at 2 µg/mL (100 µL/well) can bind Human IL-2RB&IL-2RG Heterodimer Protein, Fc Tag&Fc Tag (MALS verified) with a linear range of 0.039-0.625 µg/mL. Immobilized Cynomolgus / Rhesus macaque IL-15, His Tag at 2 µg/mL (100 µL/well) can bind Human IL-2RB&IL-2RA&IL-2RG, Fc Tag&Fc Tag with a linear range of 0.078-1.25 µg/mL.
<b>Molecular Mass</b>	This protein carries a polyhistidine tag at the C-terminus. The protein has a calculated

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MW of 14.9 kDa. The protein migrates as 14 kDa and 16-18 kDa under reducing (R) condition (SDS-PAGE) due to glycosylation.

**Proteinlength** Asn49-Ser162

**Endotoxin** Less than 1.0 EU per µg by the LAL method.

**Purity** >95% as determined by SDS-PAGE.

**Storage** For long term, the product should be stored at lyophilized state at -20°C or lower. Please avoid repeated freeze-thaw cycles. This product is stable after at: -20°C to -70°C for 12 months in lyophilized state; -70°C for 3 months under sterile conditions after reconstitution.

**Reconstitution** It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.

## GENE INFORMATION

**Official Symbol** IL15

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA