

## Recombinant Human IL15, His-tagged

Cat. No. IL15-28238TH Lot. No. (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant fragment, corresponding to amino acids 49-162 of Human mature IL15 with an amino-terminal hexahistidine tag.
<b>Species</b>	Human
<b>Source</b>	E.coli
<b>ProteinLength</b>	49-162 a.a.
<b>Description</b>	<p>The protein encoded by this gene is a cytokine that regulates T and natural killer cell activation and proliferation. This cytokine and interleukin 2 share many biological activities. They are found to bind common hematopoietin receptor subunits, and may compete for the same receptor, and thus negatively regulate each others activity. The number of CD8+ memory cells is shown to be controlled by a balance between this cytokine and IL2. This cytokine induces the activation of JAK kinases, as well as the phosphorylation and activation of transcription activators STAT3, STAT5, and STAT6. Studies of the mouse counterpart suggested that this cytokine may increase the expression of apoptosis inhibitor BCL2L1/BCL-x(L), possibly through the transcription activation activity of STAT6, and thus prevent apoptosis. Alternatively spliced transcript variants of this gene have been reported.</p>
<b>Conjugation</b>	HIS
<b>Tissue specificity</b>	Most abundant in placenta and skeletal muscle. It is also detected in the heart, lung, liver and kidney. IL15-S21AA is preferentially expressed in tissues such as testis and

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	thymus.
<b>Form</b>	Liquid
<b>Purity</b>	>95% by SDS-PAGE
<b>Storage buffer</b>	Preservative: None Constituents: 50% Glycerol, 20mM Tris, pH 8
<b>Storage</b>	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
<b>Sequences of amino acids</b>	W VNVISDLKKIEDLIQSMHID ATLYTESDVH PSCKVTAMKC FLELQVISL ESGDASIHTD VENLIILANNSLSSNGNVTE SGCKECEELE EKNIKEFLQS FVHIVQMFIN TS
<b>Sequence Similarities</b>	Belongs to the IL-15/IL-21 family.
<b>GENE INFORMATION</b>	
<b>Gene Name</b>	IL15 interleukin 15 [ Homo sapiens ]
<b>Official Symbol</b>	IL15
<b>Synonyms</b>	IL15; interleukin 15; interleukin-15; IL 15; MGC9721;
<b>Gene ID</b>	3600
<b>mRNA Refseq</b>	NM_000585
<b>Protein Refseq</b>	NP_000576
<b>MIM</b>	600554

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Uniprot ID</b>	P40933
<b>Chromosome Location</b>	4q31
<b>Pathway</b>	Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem; Cytokines and Inflammatory Response, organism-specific biosystem; HTLV-I infection, organism-specific biosystem; HTLV-I infection, conserved biosystem;
<b>Function</b>	cytokine activity; cytokine receptor binding; protein binding; signal transducer activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA