

## Active Recombinant Human IL15, Fc-tagged

Cat. No. IL15-330H Lot. No. (See product label)

### SPECIFICATION

<b>Product Overview</b>	The extracellular domain of human IL-15 (aa 49-162) including mutations at Q149D and Q156D is fused to the N-terminus of the Fc region of human IgG1.
<b>Species</b>	Human
<b>Source</b>	CHO
<b>ProteinLength</b>	49-162 a.a.
<b>Description</b>	<p>Interleukin-15 (IL-15) has a broad spectrum of biological activities. It is crucial for the development, proliferation, survival and differentiation of multiple cells from both innate and adaptive immune systems. IL-15 up-regulation has a central role in the development of several autoimmune or chronic inflammatory disorders. Targeting IL-15 or its receptor may have a valuable impact on the treatment of immune-mediated diseases. IL-15 participates in the development of important immune antitumor mechanisms. It activates CD8(+) T cells, natural killer (NK) cells, NK T cells, and can promote the formation of antitumor antibodies. IL-15 can also protect T effector cells from the action of T regulatory cells and reverse tolerance to tumor-associated antigens. In pre-clinical studies IL-15 has been found to demonstrate potentiated antitumor effects following pre-association with IL-15Ralpha;, or when used in combination with chemotherapy, adoptive therapy, monoclonal antibodies, and tumor vaccines.</p>
<b>Form</b>	Lyophilized from 0.2µm-filtered solution in PBS.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Bio-activity</b>	This mutant IL-15/Fc fusion protein specifically binds to the IL-15R, competitively inhibits IL-15-triggered cell proliferation, promotes transplant tolerance, does not activate the STAT-signaling pathway, and exerts a prolonged circulating half-life caus
<b>Purity</b>	≥98% (SDS-PAGE)
<b>Stability</b>	Stable for at least 1 year after receipt when stored at -20°C. Working aliquots are stable for up to 3 months when stored at -20°C.
<b>Storage</b>	Short Term Storage: +4°C; Long Term Storage: -20°C. Avoid freeze/thaw cycles.

## GENE INFORMATION

<b>Gene Name</b>	<a href="#">IL15 interleukin 15 [ Homo sapiens ]</a>
<b>Official Symbol</b>	IL15
<b>Synonyms</b>	IL15; interleukin 15; interleukin-15; IL 15; MGC9721; IL-15;
<b>Gene ID</b>	<a href="#">3600</a>
<b>mRNA Refseq</b>	<a href="#">NM_000585</a>
<b>Protein Refseq</b>	<a href="#">NP_000576</a>
<b>MIM</b>	<a href="#">600554</a>
<b>UniProt ID</b>	<a href="#">P40933</a>
<b>Chromosome Location</b>	4q31

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



**Pathway**

Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem; Cytokines and Inflammatory Response, organism-specific biosystem; HTLV-I infection, organism-specific biosystem; HTLV-I infection, conserved biosystem; Herpes simplex infection, organism-specific biosystem; Herpes simplex infection, conserved biosystem;

**Function**

cytokine activity; cytokine receptor binding; protein binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA