

Active Recombinant Human Interleukin 17F, HlgG1 Fc-tagged

Cat. No. IL17F-365H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	The extracellular domain of human IL-17F (AAH70124.1)(Arg31-Gln163) is fused to the N-terminus of the Fc region of a human IgG1 was expressed in CHO cell.
Species	Human
Source	CHO
ProteinLength	31-163 a.a.
Description	The protein encoded by this gene is a cytokine that shares sequence similarity with IL17. This cytokine is expressed by activated T cells, and has been shown to stimulate the production of several other cytokines, including IL6, IL8, and CSF2/GM-CSF. This cytokine is also found to inhibit the angiogenesis of endothelial cells and induce endothelial cells to produce IL2, TGFB1/TGFB, and monocyte chemoattractant protein-1.
Form	Lyophilized from 0.2µm-filtered solution in PBS.
Bio-activity	Measured by its ability to induce IL-6 secretion.
Molecular Mass	41KDa (monomer)
AA Sequence	Arg31-Gln163
Endotoxin	<0.06 eu/µg="" as="" determined="" by="" lal="" test=""="">

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	>98%, by SDS-PAGE under reducing conditions.
Stability	Stable for at least 1 year after receipt when stored at -20°C. Working aliquots are stable for up to 3 months when stored at -20°C.
Reconstitution	Reconstitute at 100µg/ml in sterile PBS.
Warning	Avoid freeze/thaw cycles.
GENE INFORMATION	
Gene Name	IL17F interleukin 17F [Homo sapiens]
Official Symbol	IL17F
Synonyms	IL17F; interleukin 17F; interleukin-17F; IL 17F; ML 1; ML1; IL-24; cytokine ML-1; mutant IL-17F; interleukin-24; ML-1; CANDF6; IL-17F;
Gene ID	112744
mRNA Refseq	NM_052872
Protein Refseq	NP_443104
MIM	606496
UniProt ID	Q96PD4
Chromosome Location	6p12
Pathway	IL23-mediated signaling events, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Function

cytokine activity; cytokine binding; protein homodimerization activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA