

## Recombinant Mouse IL-18

**Cat. No.** IL18-83M    **Lot. No.** (See product label)

### SPECIFICATION

<b>Product Overview</b>	Mouse IL-18 was produced in yeast and therefore does not have endotoxin, is naturally folded, and post-translationally modified.
<b>Species</b>	Mouse
<b>Source</b>	Yeast
<b>Description</b>	Interleukin-18 (IL-18) is a cytokine produced by macrophages and other cells that belongs to the IL-1 superfamily. IL-18 works together with IL-12 to induce cell-mediated immunity following infection with microbial products like lipopolysaccharide (LPS). After stimulation with IL-18, natural killer (NK) cells and certain T cells release another important cytokine called interferon-gamma (IFN-gamma) or type II interferon that plays an important role in activating the macrophages or other cells. Apart from its physiological role, IL-18 is also able to induce severe inflammatory reactions, which suggests its role in certain inflammatory disorders. The protein encoded by this gene is a proinflammatory cytokine. This cytokine can induce the IFN-gamma production of T cells. The combination of this cytokine and IL-12 has been shown to inhibit IL-4 dependent IgE and IgG1 production, and enhance IgG2a production of B cells.
<b>Form</b>	Lyophilized
<b>Molecular Mass</b>	18.1 kDa
<b>AA Sequence</b>	NFGRLHCTTA VIRNINDQVL FVDKRQPVFE DMTDIDQSAS EPQTRLIIYM

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

YKDSEVRGLA VTLSVKDSKM STLSCKNKII SFEEMDPPEN IDDIQSDLIF  
 FQKRVPGHNK MEFESSLYEG HFLACQKEDD AFKLILKKKD ENGDKSVMFT  
 LTNLHQS (157)

**Applications**

The Mouse IL-18 protein can be used in cell culture, as an IL-18 ELISA Standard, and as a Western Blot Control.

**Storage**

-20 C

## GENE INFORMATION

**Gene Name**

[Il18 interleukin 18 \[ Mus musculus \]](#)

**Official Symbol**

IL18

**Synonyms**

IL18; interleukin 18; interleukin-18; IL-1 gamma; interleukin-1 gamma; IFN-gamma-inducing factor; interferon gamma-inducing factor; interferon-gamma-inducing factor; Igif; Il-18;

**Gene ID**

[16173](#)

**mRNA Refseq**

[NM\\_008360](#)

**Protein Refseq**

[NP\\_032386](#)

**Pathway**

African trypanosomiasis, organism-specific biosystem; African trypanosomiasis, conserved biosystem; Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-cytokine receptor interaction, conserved biosystem; Cytosolic DNA-sensing pathway, organism-specific biosystem; Cytosolic DNA-sensing pathway, conserved biosystem; Hypertrophy Model, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



**Function**

cytokine activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA