

## Recombinant Human IL1F6

**Cat. No.** IL1F6-317H    **Lot. No.** (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant Human IL-1F6 produced in E.coli is a single, non-glycosylated, polypeptide chain containing 158 amino acids and having a molecular mass of 17.7 kDa.
<b>Species</b>	Human
<b>Source</b>	E.coli
<b>Description</b>	Human interleukin family 1, member 6 (hIL-1F6 / FIL1-epsilon) is a member of the interleukin 1 cytokine family. IL-1F6 is expressed in immune system and fetal brain, but not in other tissues tested or in multiple hematopoietic cell lines. IL-1F6 is the only IL-1 family member found to be expressed on T-cells. IL-1F6 is reported to function via receptor complex of IL-1Rrp2 and IL-1RAcP. Recombinant IL-1F6, along with IL-1F8 and IL-1F9, has been shown to act as an agonist by activating the pathway involving NFkB and MAPK in an IL-1Rrp2 dependent manner.
<b>Biological Activity</b>	As measured by its binding ability in a functional ELISA, immobilized rHuIL-1F6 at 1 µg/ml (100 µl/well) can bind rHuIL-1 Rrp2/Fc Chimera with a linear range of 0.15~5 µg/ml.
<b>Purity</b>	Greater than 95% as determined by (a) Analysis by RP-HPLC; (b) Analysis by reducing and non-reducing SDS-PAGE Silver Stained gel.
<b>Amino-Acid Sequence</b>	The sequence of the first five N-terminal amino acids was determined and was found

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	to be Met-Glu-Lys-Ala-Leu.
<b>Endotoxin</b>	Less than 0.1ng/g (1 IEU/g) determined by LAL test.
<b>Form</b>	The protein was lyophilized after extensive dialysis against 20mM Phosphate buffer, pH7.4.
<b>Reconstitution</b>	It is recommended to quick spin followed by reconstitution of rHuIL-1F6 in PBS to a concentration no less than 100g/ml, which can then be further diluted to other aqueous solutions.
<b>Storage</b>	Lyophilized rHuIL-1F5 although stable at room temperature for 3 weeks, should be stored desiccated below -18°C. Upon reconstitution rHuIL-1F6 should be stored at 4°C between 2-7 days and for future use below -18°C. For long-term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Please avoid freeze-thaw cycles.
<b>GENE INFORMATION</b>	
<b>Gene Name</b>	IL1F6 interleukin 1 family, member 6 (epsilon) [ Homo sapiens ]
<b>Official Symbol</b>	IL1F6
<b>Synonyms</b>	IL1F6; interleukin 1 family, member 6 (epsilon); FIL1; FIL1E; IL-1F6; MGC129552; MGC129553; IL1(EPSIL- ON); FIL1(EPSILON); interleukin-1 family member 6 ; FIL1 epsilon ; IL-1 epsilon ; OTTHUMP00000203688 ; interleukin-1 epsilon ; IL-1F6 (FIL-1-epsilon) ; interleukin 1, epsilon ; Interleukin-1 epsilon
<b>Gene ID</b>	27179
<b>mRNA Refseq</b>	NM_014440

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



<b>Protein Refseq</b>	NP_055255
<b>MIM</b>	605509
<b>UniProt ID</b>	Q9UHA7
<b>Chromosome Location</b>	2q12-q14.1
<b>Function</b>	cytokine activity; interleukin-1 receptor binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA