

Active Recombinant Human IL1RN Protein (153 aa)

Cat. No. IL1RN-104I Lot. No. (See product label)

SPECIFICATION

Product Overview Recombinant Human IL1RN Protein without tag was expressed in E. coli.

Species Human

Source E.coli

ProteinLength 153

Description Interleukin-1 receptor antagonist (IL-1ra) is a member of the IL-1 family. Endogenous IL-1ra is produced in numerous animal disease models as well as in human autoimmune and chronic inflammatory diseases. It binds to IL-1 receptors in competition with IL-1, but does not elicit intracellular response from this binding. Its role in counteracting the proinflammatory effects of IL-1 is being studied by numerous research groups. IL-4 and IL-13 have been shown to amplify the stimulatory effect of IL-1-beta on the production of soluble and intracellular forms of IL1-ra. The regulated expression of IL1ra in various cell types has been shown to be influenced by cytokines. In synovial fibroblasts the synthesis of IL-1ra is markedly enhanced by IL-1, TNF-alpha, or PDGF.

Form Sterile Filtered White lyophilized (freeze-dried) powder.

Bio-activity Fully biologically active when compared to standard. The ED50 as determined by the dose-dependant inhibition of IL-1 stimulation of D10S cells was found to be 0.5 ng/mL, corresponding to a Specific Activity of 2.0×10^6 IU/mg.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Molecular Mass	Approximately 17.0 kDa, a single non-glycosylated polypeptide chain containing 153 amino acids.
AA Sequence	MRPSGRKSSKMQAFRIWDVNQKTFYLRNNQLVAGYLQGPNVNLEEKIDVVPIEPHA LFLGIHGGKMCLSCVKSGDETRLQLEAVNITDLSENKQDKRFAFIRSDSGPTTSFE SAACPGWFLCTAMEADQPVSLTNMPDEGVMVTKFYFQEDE
Endotoxin	Less than 1 EU/μg of rHuIL-1ra as determined by LAL method.
Purity	>95% by SDS-PAGE and HPLC analyses.
Storage	This lyophilized preparation is stable at 2-8 centigrade, but should be kept at -20 centigrade for long term storage, preferably desiccated. Upon reconstitution, the preparation is stable for up to one week at 2-8 centigrade. For maximal stability, apportion the reconstituted preparation into working aliquots and store at -20 to -70 centigrade. Avoid repeated freeze/thaw cycles.
Storage Buffer	Lyophilized from a 0.2 μm filtered concentrated solution in PBS, pH 7.4.
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute in sterile distilled water or aqueous buffer containing 0.1% BSA to a concentration of 0.1-1.0 mg/mL. Stock solutions should be apportioned into working aliquots and stored at < -20C. Further dilutions should be made in appropriate buffered solutions.

GENE INFORMATION

Gene Name	IL1RN interleukin 1 receptor antagonist [Homo sapiens]
Official Symbol	IL1RN

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Synonyms

IL1RN; interleukin 1 receptor antagonist; interleukin-1 receptor antagonist protein; ICIL 1RA; IL 1RN; IL1F3; IL1RA; interleukin 1 receptor antagonist protein; intracellular interleukin 1 receptor antagonist; IRAP; MGC10430; IL1 inhibitor; IL1RN (IL1F3); type II interleukin-1 receptor antagonist; intracellular IL-1 receptor antagonist type II; intracellular interleukin-1 receptor antagonist (icIL-1ra); DIRA; MVCD4; IL-1RN; IL-1ra; IL-1ra3; ICIL-1RA;

Gene ID

3557

mRNA Refseq

NM_000577

Protein Refseq

NP_000568

MIM

147679

UniProt ID

P18510

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA